



Aggression

Last update: April 2012

Topic Editor:

Richard E. Tremblay, PhD, Université de Montréal, Canada and University College Dublin, Ireland

Table of content

Synthesis	5
<hr/>	
The Development of Physical Aggression	9
RICHARD E. TREMBLAY, PHD, FRSC, OQ, JANUARY 2012	
<hr/>	
Development of Indirect Aggression Before School Entry	10
MARA BRENDGEN, PHD, FEBRUARY 2012	
<hr/>	
Sex Differences in the Development of Aggression From Early Childhood to Adulthood	11
JOHN ARCHER, PHD, FBPS, JANUARY 2012	
<hr/>	
Development of Physical Aggression from Early Childhood to Adulthood	12
KATE KEENAN, PHD, JANUARY 2012	
<hr/>	
Best Practices in the Development of Effortful Control in Early Childhood	13
M. ROSARIO RUEDA, PHD, LINA M. CÓMBITA, MA, JANUARY 2012	
<hr/>	
Effective Daycare-Kindergarten Interventions to Prevent Chronic Aggression	14
JOHN E. LOCHMAN, PHD, ABPP, CAROLINE BOXMEYER, PHD, NICOLE POWELL, PHD, ALBERTO JIMENEZ-CAMARGO, PHD STUDENT, JANUARY 2012	
<hr/>	
Play-Fighting During Early Childhood and its Role in Preventing Later Chronic Aggression	15
SERGIO M. PELLIS, PHD, VIVIEN C. PELLIS, PHD, JANUARY 2012	
<hr/>	

Topic funded by:



Margaret & Wallace McCain
Family Foundation

Synthesis

How important is it?

Most parents of first born are shocked and understandably worried when they see their infant child attempt to hit them when angry. Very few parents expecting their first child know that beautiful young babies express anger with hits and kicks long before they learn to walk. The frequency of physical aggressions increases with age over the first three to four years after birth. Physical aggression is the leading problem in child care centres and the leading reason why preschool children with behaviour problems are referred for clinical help. However, persistent physical aggression usually does not happen in isolation; it frequently co-occurs with other developmental problems like emotion dysregulation, impulsivity, inattention, and delays in language and communication skills. Studies that followed large cohorts of children over many years showed that persistent physical aggression increased the risk for later juvenile delinquency and adult violence.

What do we know?

Most children start using physical aggression between one and two years of age as a response to frustration and as a means to reach a goal. The first aggressive acts displayed with peers are often tugging at another child's toy, soon followed by hitting. Physical aggression tends to increase in frequency until 30 to 42 months of age and then declines when children develop the ability to regulate their attention and emotions, control their impulses and use verbal communication to resolve conflicts and express needs. There are important differences between individual children in the early display of aggressive behaviour: a majority of children will act aggressively occasionally, a minority will display little or no aggression, and about 5% to 10% of children, mostly boys, will frequently use physical aggression. These children are at greater risk of chronic aggression into late childhood, adolescence and adulthood. Studies showed that chronic physical aggression is associated with social factors, namely mothers' young age at first delivery, low education, history of behaviour problems, smoking during pregnancy, and low income. Inadequate parenting, conflict in the house, and parental mental health and substance abuse issues are also associated with children's chronic physical aggression. The consequences of aggressive acts become more serious with age as children become stronger and are less

supervised. Chronic physical aggression is a serious social concern because of its individual and social costs.

Sex differences in frequency and level of physical aggression have been consistently reported. Scientists have proposed both social and biological explanations for this difference. Higher levels of physical aggression for boys have been reported by mothers from 17 months of age. Sex differences in aggression therefore appear before they could be extensively affected by socialization. Even though most children show a decrease in the frequency of physical aggression as they grow up, girls tend to reduce their aggression earlier, and the sex differences tend to stay stable through childhood and adolescence.

As physical aggression declines, face-to-face verbal aggression increases, followed by social and relational aggression around 4-5 years of age. The goal of relational aggression is to harm a person's social relationships and self-esteem, for example by becoming friend with someone else in revenge. It includes non-verbal behaviours such as disdainful facial expressions and direct expressions of rejection. These forms of aggression are slightly more common in girls but are also used by boys, sometimes in conjunction with direct verbal and physical aggression. Both physically and relationally aggressive children tend to lack empathy and attribute hostile intentions to others, but perpetrators of relational aggression are likely to have advanced language skills, contrary to physically aggressive children. Indirect forms of aggression may cause as much pain in victims as physical aggression but perpetrators are less likely to face disapproval by adults and peers. A better understanding of the development of aggressive behaviours should help to establish effective prevention programs.

What can be done?

Most children will show physically aggressive behaviour occasionally, and then learn other means of expressing emotions and solving conflicts. A minority of children will not. Interventions at an early age aimed at helping these children to learn adequate behaviour and emotional responses are warranted.

Intervention can address the at-risk child's developmental deficits directly (e.g., improving emotion regulation skills) or indirectly by changing the child's environment (for example by providing parental training). Targeted programs combining parent and child intervention in the preschool years have resulted in improved parenting and decrease in children's negative

behaviour. Interventions can be universal (offered to all children - e.g., a whole child care or kindergarten group) or target specific problems and the children who have them. Prenatal to toddlerhood home visits to support at risk families have been shown to reduce later behaviour problems. Universal programs in preschool can improve children's emotion regulation and reduce later aggression. A multi-modal intervention for aggressive boys in kindergarten was shown to improve high-school graduation and reduce criminality 15 years later.

Targets for intervention

Development of effortful control in early childhood is critical for the reduction of aggressive behaviours and impulses. Effortful control refers to the voluntary regulation of attention and behaviour, including inhibition of undesirable behaviour and activation of appropriate behaviour. It is linked to the development of conscience, empathy, and internalization of social norms. Poor effortful control is associated with reactive aggression, that is, emotionally-driven reaction rather than unprovoked aggression, and with externalized behaviour problems. Warm, positive parenting can help reduce behaviour problems but the effect of parental behaviour is facilitated by children's effortful control. Interventions can address children's problem-solving strategies, support gentle parental discipline, and foster supportive teaching.

Young children learn self-control, reciprocity and adequate behaviour in part through play with peers, specifically play that demands turn-taking, negotiation, shift in control and restraint like rough-and-tumble play. Studies in other mammals (rats and apes) showed that rough-and-tumble play is critical for the development of the brain area responsible for executive control. One consequence of lacking the opportunity to play in these animals is misreading social signals that could prevent an encounter from escalating into aggression. Human children who engage in rough-and-tumble play show better social skills and play with peer is facilitated by a positive previous experience of playing with parents. This suggest that encouraging play could help children develop the abilities that will help them control their aggressive impulses and assess correctly their peers' reactions during interactions. When rough-and-tumble play is not socially acceptable, peer-play with similar properties (turn-taking, shift in control, self-restraint) should be encouraged.

Regarding indirect aggression, it should be recognized that social and relational aggression are seriously harmful behaviours perpetrated by both boys and girls. Intervention could start in preschool and preferably involve parents and teachers. The goals would be to teach how to deal

with relational aggression, as well as strategies for relationship building and problem solving.

Whatever the strategy, several keys to successful intervention targeting aggression in preschool children are proposed:

1. Intervention should include parents;
2. Intervention must be flexible yet faithful to protocol;
3. Parental intervention should address both parenting behaviour and parents' knowledge of child development;
4. Schools/centres should plan strategies to engage parents in intervention; needs for staff training must be realistically assessed.

The Development of Physical Aggression

Richard E. Tremblay, PhD, FRSC, OQ

University College Dublin, Ireland and University of Montreal, Canada

January 2012, 2e éd. rév.

Development of Indirect Aggression Before School Entry

Mara Brendgen, PhD

Université du Québec à Montréal, Canada

February 2012

Sex Differences in the Development of Aggression From Early Childhood to Adulthood

John Archer, PhD, FBPS

University of Central Lancashire, United Kingdom

January 2012

Development of Physical Aggression from Early Childhood to Adulthood

Kate Keenan, PhD

University of Chicago, USA

January 2012

Best Practices in the Development of Effortful Control in Early Childhood

M. Rosario Rueda, PhD, Lina M. C3mbita, MA

Departamento de Psicolog3a Experimental, Universidad de Granada, Spain

January 2012

Effective Daycare-Kindergarten Interventions to Prevent Chronic Aggression

John E. Lochman, PhD, ABPP, Caroline Boxmeyer, PhD, Nicole Powell, PhD, Alberto Jimenez-Camargo, PhD Student

Center for Prevention of Youth Behavior Problems, The University of Alabama, USA

January 2012

Play-Fighting During Early Childhood and its Role in Preventing Later Chronic Aggression

Sergio M. Pellis, PhD, Vivien C. Pellis, PhD

University of Lethbridge, Canada

January 2012