



# Epigenetics

Last update: May 2018

**Topic Editor:**

Marla B. Sokolowski, PhD, F.R.S.C. and W. Thomas Boyce, MD, Canadian Institute for Advanced Research (CIFAR), Canada

# Table of content

Synthesis	5
<hr/>	
Biology of the Epigenome	8
MARLA B. SOKOLOWSKI, PHD, F.R.S.C., W. THOMAS BOYCE, MD, NOVEMBER 2017	
<hr/>	
Gene-Environment Interplay and Epigenetic Processes	9
MARLA B. SOKOLOWSKI, PHD, F.R.S.C., W. THOMAS BOYCE, MD, NOVEMBER 2017	
<hr/>	
Epigenetic Embedding of Early Adversity and Developmental Risk	10
MARLA B. SOKOLOWSKI, PHD, F.R.S.C., W. THOMAS BOYCE, MD, NOVEMBER 2017	
<hr/>	
Epigenetics and the Role of Developmental Time	11
MARLA B. SOKOLOWSKI, PHD, F.R.S.C., W. THOMAS BOYCE, MD, NOVEMBER 2017	
<hr/>	
Epigenetics: comments on Sokolowski and Boyce	12
JEFFREY M. CRAIG, PHD, MAY 2018	
<hr/>	

# Topic funded by:

**CIFAR**  
CANADIAN  
INSTITUTE  
FOR  
ADVANCED  
RESEARCH

**ICRA**  
INSTITUT  
CANADIEN  
DE  
RECHERCHES  
AVANCÉES

---

## Synthesis

### How important is it?

Behavioural or social epigenetics is a new science poised to revolutionize our understanding of how we develop. Genetics is the study of how characteristics are inherited from one generation to the next through DNA. Epi comes from the Greek word meaning upon or over. Epigenetic processes place marks on or nearby DNA; some of these marks can change the amount of gene product (RNA, protein) a gene makes.

Epigenetics is thought to regulate how the brain develops and how it works. Both are critical for our learning, behaviour and health.

One of the central purposes of behavioural epigenetics is to understand how epigenetic marks can change gene expression, and, in turn, the path (trajectory) of development—physical, social and emotional, approaches to learning, thinking, and communication and language. Changes to how we develop can range from being adaptive (positive and functional) to maladaptive (negative and dysfunctional).

Epigenetic changes triggered by adverse childhood experiences (ACEs) are typically maladaptive. These changes can happen from the earliest stages of life, throughout childhood and into adulthood. They occur in our cells and can have a profound effect on lifelong mental and physical health.

Recent studies link child abuse, neglect and ongoing stress to antisocial behaviour, depression and the risk of suicide. Other evidence has found ACEs can increase the risk of mental illness, poorer educational achievements and chronic disease. More research is needed to determine if some epigenetic changes can be passed to future offspring.

By uncovering how our genes (DNA sequence) and our environment (experiences) affect each other, behavioural epigenetics promises to reveal their effect on an individual's development, behaviour and well-being. Researchers also want to determine if it is possible to identify children at risk and if negative outcomes can be prevented or reversed through positive interventions or drug therapies.

## **What do we know?**

Environment and experiences affect our genes and development.

In children, caring, stable and nurturing environments help build a strong foundation for brain development, lifelong health, learning and normal social and emotional development. At the heart of these environments are caring, stable and nurturing relationships with adults: parents, grandparents, childcare providers, teachers and more.

Similarly, adverse environments and relationships with adults that include poverty, abuse, neglect, stress, and trauma can also change the expression of genes involved in developing and regulating the nervous system. In turn, this can negatively affect a child's brain development, stress responses and the risk of developing illnesses and other challenges. The risks and effects of adverse childhood experiences are highest among those living near, at or below the poverty line.

While many molecular mechanisms control gene expression, epigenetic processes offer a groundbreaking look at how and under what social conditions genes and environment intersect.

Evidence from a variety of studies suggests that epigenetic modifications drive many changes in brain circuitry. For example, stress-related psychiatric conditions, such as suicidal ideation and attempts, depression, post-traumatic stress disorder, schizophrenia and brain changes due to psychoactive and antipsychotic drugs, have induced epigenetic changes.

A growing body of evidence indicates that the number of genetic marks on DNA sequences increases with number of adverse childhood experiences (ACEs) a child has.

Research is also shedding light on how differences in epigenetic susceptibility affect children exposed to harmful stress. Such understanding may offer insight into stress-related disorders, resilience, vulnerability and why health issues affect people differently.

Behavioural epigenetic research is gaining a greater understanding of the periods of development. Critical periods are those in which the presence or absence of important experiences or exposures can change the development of brain circuitry. Sensitive periods are developmental intervals when the brain is especially responsive to experiences and thought to gradually open and gradually close. Both depend on experiences for brain plasticity during

defined windows of early life.

The brain is fragile as it develops. Molecular 'triggers' and 'brakes' can open and close opportunities for brain plasticity over time. These and other findings have fundamentally shifted thinking about brain plasticity.

A newer understanding indicates that the brain is naturally plastic and during normal development plasticity is suppressed except when critical periods are open. These periods can be thought of as 'windows' of opportunity during which the brain is sculpted by experience. Critical and sensitive periods open and close as the brain's circuitry is established.

Epigenetic processes may also transmit risk and disorder from one generation to the next, although more research is needed in this area. Risks and protective factors can be passed from parents to children through behavioural and social factors, or possibly by inherited epigenetic marks.

### **What can be done?**

More research into epigenetics is needed, but it is clear that adverse childhood experiences can affect the genes that are involved with stress responses, immunity and mental and physical health. It's important for each and every child to live in a caring, stable and nurturing environment and to have similar relationships with adults.

---

# Biology of the Epigenome

**Marla B. Sokolowski, PhD, F.R.S.C., W. Thomas Boyce, MD**

Co directors of the Child and Brain Development Program, Canadian Institute for Advanced Research (CIFAR), Canada

November 2017

# Gene-Environment Interplay and Epigenetic Processes

**Marla B. Sokolowski, PhD, F.R.S.C., W. Thomas Boyce, MD**

Co directors of the Child and Brain Development Program, Canadian Institute for Advanced Research (CIFAR), Canada

November 2017



# Epigenetic Embedding of Early Adversity and Developmental Risk

**Marla B. Sokolowski, PhD, F.R.S.C., W. Thomas Boyce, MD**

Co directors of the Child and Brain Development Program, Canadian Institute for Advanced Research (CIFAR), Canada

November 2017

# Epigenetics and the Role of Developmental Time

**Marla B. Sokolowski, PhD, F.R.S.C., W. Thomas Boyce, MD**

Co directors of the Child and Brain Development Program, Canadian Institute for Advanced Research (CIFAR), Canada

November 2017

# Epigenetics: comments on Sokolowski and Boyce

Jeffrey M. Craig, PhD

Deakin University, Australia

May 2018