

HOME VISITING

Prenatal/Postnatal Home Visiting Programs and Their Impact on Children's Social and Emotional Development

Nancy Donelan-McCall, PhD, David Olds, PhD

University of Colorado Anschutz Medical Campus, USA

January 2022, 2e éd. rév.

Introduction

Social and emotional problems in young children can be traced to mothers' prenatal health,¹⁻⁴ parents' caregiving^{5,6} and their life-course (timing of subsequent pregnancies, employment, welfare dependence).^{7,8} In addition, qualities of early parenting serve as a protective factor against adverse experiences such as poverty.⁹ Home visiting programs that address these antecedent risks and protective factors may reduce social and emotional problems in children and youth.

Subject

Over the past several decades, carefully designed randomized trials of preventive home-visiting programs support the premise that promoting prenatal health, competent caregiving and families' living circumstances can improve children's health and development. Based on this

evidence, investment in evidence-based home visiting programs has been made in the United States.¹⁰ A US federal agency determined that 21 programs out of 50 evaluated met their criteria for evidence-based home visiting programs.^{10,11} Not all of these programs were evaluated in randomized trials, however, and reviews of home visiting programs find mixed results.¹⁰⁻¹⁴

Problems

Prenatal exposure to tobacco and other toxic substances, as well as obstetric complications have been implicated in the development of behaviour problems in children;^{1-4,15,16} and there is now evidence that the impact of prenatal tobacco exposure is greatest in the presence of a specific genetic vulnerability.^{17,18}

Child abuse, neglect, and excessively harsh treatment of children are associated with internalizing and externalizing behaviour problems, cognitive impairments, and later violent behaviour;^{5,6,19,20} again, the impact of child maltreatment on severe antisocial behaviour appears to be greatest in the presence of genetic vulnerability.²¹

Family dependence on welfare, large families with closely spaced births, and single parenthood are all associated with compromised social and emotional development in children.^{7,8,22,23} In addition, sensitive responsive caregiving serves as a protective factor against early adversity.⁹

Research Context

While some meta-analyses of home visiting programs suggest that many types of home visiting programs can make a difference in reducing adverse outcomes,^{12,24,25} meta-analyses can produce misleading results if there are insufficient numbers of trials of programs represented in the cross-classification of home visiting program models, target populations, and visitors' backgrounds.

Home visiting programs share a common commitment to improve parents' early care of their children and most operate on the assumption that parents' prenatal health behaviours, care of their children, and life-course affect their children's social and emotional development.²⁶ However, other program features differ substantially, including families served, program content, visitors' backgrounds, and timing and duration of services. One review of home visiting and maltreatment-prevention concluded that programs delivered by paraprofessional home visitors were not effective in reducing child protection reports or associated impairments whereas those delivered by nurses reduced maltreatment.²⁷

Key Research Questions

Understanding the effects of home visiting programs on children's social and emotional development begins with identifying programs that have affected antecedent risk and protective factors in addition to specific social and emotional outcomes. Specifically, what home visiting program models show the greatest promise for improving pregnancy outcomes, reducing child maltreatment, improving parents' life-course, and children's social and emotional development?

Recent Research Results

Improvement of pregnancy outcomes

Most trials of prenatal home visiting have produced disappointing effects on pregnancy outcomes such as birth weight and gestational age.^{13,14,28,29} One program of prenatal and infancy home visiting by nurses, Nurse Family Partnership (NFP), has reduced prenatal tobacco use in two US trials^{30,31} and two international trials,^{32,33} marijuana use in one international trial,³³ and pregnancy-induced hypertension with a large sample of Black women.³¹ Effects on preterm birth and low birthweight in one NFP trial were found for women identified as smokers and those who were very young (< 17) at registration.³⁰

Improving positive parenting and reducing child abuse, neglect, and injuries

Several trials of home visiting programs have found favorable effects on parenting, based upon direct observations of caregiver-child interactions, evaluations of the home environment, and standardized reports of parenting attitudes and practices.³⁴⁻³⁶

One trial of NFP, tested with a primarily white sample, found a 48 percent treatment-control difference in rates of substantiated rates of child abuse and neglect and an 80 percent difference for families in which the mothers were low-income and unmarried at registration.³⁷ With a large sample of urban Blacks, an NFP trial found program effects on children's days hospitalized for serious injuries and ingestions at child age 2,³¹ and reductions in preventable mortality^{38,39} decades later, findings consistent with the prevention of abuse and neglect and dysregulated behaviour. A trial of the program in the Netherlands found reductions in child abuse and neglect reports.⁴⁰ A trial of NFP in England found no effects on child maltreatment reports,^{41,42} but questions have been raised about the design of this study, including the validity of such reports.⁴³

Early Intervention Program for Adolescent Mothers (EIP) employs nurse home visitors and has

found that compared to infants assigned to usual care, EIP infants had fewer days in the hospital and fewer total episodes of hospitalizations involving injuries, with program effects continuing to child aged 24 months.^{44,45}

Maternal life-course

The effect of home visiting programs on mothers' life-course is disappointing overall.^{26,46} In multiple trials of NFP, there were replicated effects on interpregnancy intervals,^{31,37,47} use of welfare,^{31,37} behavioural problems due to women's use of drugs and alcohol,^{37,48} and, in one trial, arrests among women who were low-income and unmarried at registration.³⁷

Children's social and emotional problems

NFP produced treatment-control differences in 15-year-olds' arrests and among 19-year-old females.^{49,50} The effect on female convictions by age 18 was replicated as a trend in a second trial with urban Blacks; there earlier effects of the program on 12-year-olds' use of substances and internalizing disorders⁵¹ and on working memory and ability to accurately read others' emotions at age 18.⁵² In the third US trial of NFP, 6-month-old infants born to mothers with low psychological resources displayed fewer aberrant emotional expressions associated with child maltreatment,⁵³ and nurse-visited children were less likely to be classified as having total emotional/behavioural problems at age 6 years, internalizing problems at age 9 years, and dysfunctional attention at age 9 years.⁵⁴ NFP effects on reductions in internalizing and externalizing behavioural problems have been found in the Dutch trial.⁴⁰

Additionally, two US programs implemented by Master's-level mental health or developmental clinicians (The Family Check-Up⁵⁵⁻⁵⁷ and Child FIRST⁵⁸), have found significant effects on a number of important child behavioural problems.

Conclusions

While home visiting programs hold promise for improving the social and emotional health of children, few have improved antecedent risks such as pregnancy outcomes, parental life-course, child maltreatment, compromised caregiving, and in turn reduced children's social and emotional problems. The programs with the greatest promise in affecting these outcomes have employed professional home visitors, with the strongest evidence coming from trials of nurse-visiting programs. In a trial that included separate treatment groups of nurse and paraprofessional home

visitors, nurses produced effects that were twice as large as paraprofessionals.^{53,54}

NFP has produced consistent effects on clinically significant outcomes in three separate trials in the US and in two international replications with different populations living in different contexts and at different points in social and economic history. A third international trial was exquisitely conducted but has produced limited replication of findings,^{41,42} and has been challenged with questions regarding design.⁴³ Overall, these findings increase the likelihood that NFP will have applicability to a wide range of different populations. To date, NFP is the only prenatal or early childhood program that meets the “Top Tier” of evidence established by Evidence-Based Programs (Social Programs That Work, 2020, <https://evidencebasedprograms.org/>).

Implications

As programs are implemented in community practice, they are likely to serve more diverse populations, than those originally sampled, and with greater diversity in service provider backgrounds and experience. Therefore, on-going evaluation of evidence-based programs, such as HomVEE in the US, is vital.¹¹

Programs with strong evidentiary foundations, and effective community replication standards, can reduce risks and adverse outcomes for fetal, infant, and child health and development. In deciding which home visiting programs policymakers should support, careful consideration should be given to the evidentiary foundations of candidate programs.

Finally, policymakers and practitioners should recognize the importance of program evolution to meet the changing needs of families and communities. One model for program augmentations starts with identifications of program challenges and moves on to formative development, rigorous testing, and then translation into practice.⁵⁹ Program evolution, grounded in adherence to good evidentiary standards, holds great promise for such programs, increasing the likelihood of improving the lives of vulnerable children and families.

References

1. Arseneault L, Tremblay, R E, Boulerice, B., Saucier, JF. Obstetrical complications and violent delinquency: testing two developmental pathways. *Child Development*. 2002;73(2):496-508.
2. Wakschlag LS, Pickett, KE, Cook, E Jr, Benowitz, NL, Leventhal, BL. Maternal smoking during

- pregnancy and severe antisocial behavior in offspring: a review. *American Journal of Public Health*. 2002;92(6):966-974.
3. Espy KA, Fang H, Johnson C, Stopp C, Wiebe SA, Respass J. Prenatal tobacco exposure: Developmental outcomes in the neonatal period. *Developmental Psychology*. 2011;47(1):153-169.
 4. Thakur GA, Sengupta SM, Grizenko N, Schmitz N, Page V, Joobor R. Maternal smoking during pregnancy and ADHD: a comprehensive clinical and neurocognitive characterization. *Nicotine and Tobacco Research*. 2013;15(1):149-157.
 5. Widom CS. The cycle of violence. *Science*. 1989;244:160-166.
 6. Widom CS. Child abuse, neglect, and adult behavior: Research design and findings on criminality, violence, and child abuse. *American Journal of Orthopsychiatry*. 1989;59(3):355-367.
 7. Furstenberg FF, Brooks-Gunn J, Morgan SP. *Adolescent mothers in later life*. New York, NY, USA: Cambridge University Press; 1987.
 8. Yeung WJ, Linver, MR, Brooks-Gunn, J. How money matters for young children's development: parental investment and family processes. *Child Development*. 2002;73(6):1861-1879.
 9. Blair C, Raver CC. Child Development in the Context of Adversity: Experiential Canalization of Brain and Behavior. *The American Psychologist*. 2012;67(4):309-318.
 10. Sama-Miller E, Akers L, Mraz-Esposito A, et al. *Home visiting evidence of effectiveness review: Executive Summary*. Office of Planning, Research and Evaluation, Administration for Children and Families, U.S. Department of Health and Human Services. 2018. Washington DC.
 11. Home Visiting Evidence and Effectiveness (HomVEE). *Early Childhood Home Visiting Models Reviewing Evidence of Effectiveness*. OPRE Report #2021-185. Washington, DC: Office of

Planning R, and Evaluation, Administration for Children and Families, U.S. Department of Health and Human Services. 2021.

12. Donelan-McCall N. Parenting and home visiting interventions. In: Dearing E, Votruba-Drzal E, eds. *Handbook of early childhood development programs, practices, and policies: Theory-based and empirically-supported strategies for promoting young children's growth in the U.S.* PA: Wiley; 2017: 310-329.
13. Issel LM FS, Slaughter J, Wiencrot A, Handler A. A review of prenatal home-visiting effectiveness for improving birth outcomes. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*. 2011;40(2):157-165.
14. Michalopoulos C, Crowne SS, Portilla XA, Lee H, Filene JH, Duggan A, Knox V. *A Summary of Results from the MIHOPE and MIHOPE-Strong Start Studies of Evidence-Based Home Visiting*. OPRE Report #2019-09. Washington, DC: Office of Planning R, and Evaluation, Administration for Children and Families, U.S. Department of Health and Human Services. 2019.
15. Behnke M, Smith VC, Committee on Substance A, Committee on F, Newborn. Prenatal substance abuse: short- and long-term effects on the exposed fetus. *Pediatrics*. 2013;131(3):e1009-e1024.
16. Goldschmidt L, Day NL, Richardson GA. Effects of prenatal marijuana exposure on child behavior problems at age 10. *Neurotoxicology and Teratology*. 2000;22(3):325-336.
17. Buck JM, Yu L, Knopik VS, Stitzel JA. DNA methylome perturbations: an epigenetic basis for the emergingly heritable neurodevelopmental abnormalities associated with maternal smoking and maternal nicotine exposure. *Biology of Reproduction*. 2021;105(3):644-666.
18. Kahn RS, Khoury J, Nichols WC, Lanphear BP. Role of dopamine transporter genotype and maternal prenatal smoking in childhood hyperactive-impulsive, inattentive, and oppositional behaviors. *Journal of Pediatrics*. 2003;143(1):104-110.
19. Toth SL, Cicchetti D, Kim J. Relations among children's perceptions of maternal behavior,

attributional styles, and behavioral symptomatology in maltreated children. *Journal of Abnormal Child Psychology*. 2002;30(5):487-501.

20. Goltermann J, Redlich R, Grotegerd D, et al. Childhood maltreatment and cognitive functioning: the role of depression, parental education, and polygenic predisposition. *Neuropsychopharmacology*. 2021;46(5):891-899.
21. Caspi A, McClay J, Moffitt TE, Mill J, Martin J, Craig IW, Taylor A, Poulton R. Role of genotype in the cycle of violence in maltreated children. *Science*. 2002;297(5582):851-854.
22. Shonkoff JP, Garner AS, Committee on Psychosocial Aspects of Child and Family Health, Committee on Early Childhood, Adoption, and Dependent Care, Section on Developmental & Behavioral Pediatrics. The lifelong effects of early childhood adversity and toxic stress. *Pediatrics*. 2012;129(1):e232-e246.
23. Evans GW, Gonnella C, Marcynyszyn LA, Gentile L, Salpekar N. The Role of Chaos in Poverty and Children's Socioemotional Adjustment. *Psychological Science*. 2005;16(7):560-565.
24. Roberts I, Kramer MS, Suissa S. Does home visiting prevent childhood injury? A systematic review of randomised controlled trials. *BMJ*. 1996;312(7022):29-33.
25. Guterman NB. *Stopping child maltreatment before it starts : emerging horizons in early home visitation services*. Thousand Oaks, CA: London: Sage Publications; 2001.
26. Gomby D, Culross P, Behrman RE. Home-visiting: Recent Program Evaluations- analysis and recommendations. *The Future of Children*. 1999;9:4-26.
27. MacMillan H, MacMillan J, Offord D, Griffith L, MacMillan A. Primary prevention of child physical abuse and neglect: a critical review. *Journal of Child Psychology and Psychiatry*. 1994;35(5):835-856.
28. Olds DL, Hill P, Robinson J, Song N, Little C. Update on home visiting for pregnant women and parents of young children. *Current Problems in Pediatric and Adolescent Health Care*. 2000;30(4):107-141.

29. Olds DL, Kitzman, H. Review of research on home visiting for pregnant women and parents of young children. *The Future of Children*. 1993;3(3):53-92.
30. Olds DL, Henderson CR Jr., Tatelbaum R, Chamberlin R. Improving the delivery of prenatal care and outcomes of pregnancy: a randomized trial of nurse home visitation. *Pediatrics*. 1986;77(1):16-28.
31. Kitzman H, Olds DL, Henderson CR Jr, Hanks C, Cole R, Tatelbaum R, McConnochie KM, Sidora K, Luckey DW, Shaver D, Engelhardt K, James D, Barnard K. Effect of prenatal and infancy home visitation by nurses on pregnancy outcomes, childhood injuries, and repeated childbearing. A randomized controlled trial. *JAMA*. 1997;278(8):644-652.
32. Mejdoubi J, van den Heijkant SC, van Leerdam FJ, Crone M, Crijnen A, HiraSing RA. Effects of nurse home visitation on cigarette smoking, pregnancy outcomes and breastfeeding: a randomized controlled trial. *Midwifery*. 2014;30(6):688-695.
33. Catherine NLA, Boyle M, Zheng Y, et al. Nurse home visiting and prenatal substance use in a socioeconomically disadvantaged population in British Columbia: analysis of prenatal secondary outcomes in an ongoing randomized controlled trial. *CMAJ Open*. 2020;8(4):E667-675.
34. Landry SH, Smith KE, Swank PR, Guttentag C. A responsive parenting intervention: the optimal timing across early childhood for impacting maternal behaviors and child outcomes. *Developmental Psychology*. 2008;44(5):1335-1353.
35. Chang H, Shaw DS, Shelleby EC, Dishion TJ, Wilson MN. The Long-Term Effectiveness of the Family Check-up on Peer Preference: Parent-Child Interaction and Child Effortful Control as Sequential Mediators. *Journal of Abnormal Child Psychology*. 2017;45(4):705-717.
36. Olds DL, Henderson CRJ, Kitzman H. Does prenatal and infancy nurse home visitation have enduring effects on qualities of parental caregiving and child health at 25 to 50 months of life? *Pediatrics*. 1994;93(1):89-98.
37. Olds DL, Eckenrode J, Henderson CR Jr, Kitzman H, Powers J, Cole R, Sidora K, Morris P,

- Pettitt LM, Luckey D. Long-term effects of home visitation on maternal life course and child abuse and neglect: a 15-year follow-up of a randomized trial. *JAMA*. 1997;278(8):637-643.
38. Olds DL, Kitzman H, Knudtson MD, Anson E, Smith JA, Cole R. Effect of home visiting by nurses on maternal and child mortality: results of a 2-decade follow-up of a randomized clinical trial. *JAMA Pediatrics*. 2014;168(9):800-806.
 39. Donelan-McCall NS, Knudtson MD, Olds DL. Maternal and child mortality: analysis of nurse home visiting in 3 RCTs. *American Journal of Preventive Medicine*. 2021;61(4):483-491.
 40. Mejdoubi J, van den Heijkant S, van Leerdam F, Heymans M, Crijnen A, Hirasing R. The effect of VoorZorg, the Dutch nurse-family partnership, on child maltreatment and development: a randomized controlled trial. *PLoS One*. 2015;10(4):e0120182.
 41. Robling M, Lugg-Widger F, Cannings-John R, Sanders J, Angel L, Channon S, Fitzsimmons D, Hood K, Kenkre J, Moody G, Owen-Jones E, Pockett R, Segrott J, Slater T. The Family Nurse Partnership to reduce maltreatment and improve child health and development in young children: the BB:2-6 routine data-linkage follow-up to earlier RCT. *Public Health Research*. 2021;9(2).
 42. Robling M, Bekkers MJ, Bell K, Butler CC, Cannings-John R, Channon S, Martin BC, Gregory JW, Hood K, Kemp A, Kenkre J, Montgomery AA, Moody G, Owen-Jones E, Pickett K, Richardson G, Roberts ZE, Ronaldson S, Sanders J, Stamuli E, Torgerson D. Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. *Lancet*. 2016;387(10014):146-155.
 43. Olds D. Building evidence to improve maternal and child health. *Lancet*. 2016;387(10014):105-107.
 44. Koniak-Griffin D, Verzemnieks IL, Anderson NL, Brecht ML, Lesser J, Kim S, Turner-Pluta C. Nurse visitation for adolescent mothers: two-year infant health and maternal outcomes. *Nursing Research*. 2003;52(2):127-136.
 45. Koniak-Griffin D, Anderson NL, Brecht ML, Verzemnieks I, Lesser J, Kim S. Public health

nursing care for adolescent mothers: impact on infant health and selected maternal outcomes at 1 year postbirth. *Journal of Adolescent Health*. 2002;30(1):44-54.

46. Lee H, Crowne SS, Estarziou M, et al. *The effects of home visiting on prenatal health, birth outcomes, and health care use in the first year of life: Final implementation and impact findings from the Mother and Infant Home Visiting Program Evaluation-Strong Start*. OPRE Report #2019-08. Washington, DC: Office of Planning, Research, and Evaluation, Administration for Children and Families, U.S. Department of Human Services. 2019.
47. Olds DL, Robinson J, Pettitt L, Luckey DW, Holmberg J, Ng RK, Isacks K, Sheff K, Henderson CR Jr. Effects of home visits by paraprofessionals and by nurses: age-four follow-up of a randomized trial. *Pediatrics*. 2004;114(6):1560-1568.
48. Olds DL, Kitzman HJ, Cole RE, Hanks CA, Arcoleo KJ, Anson EA, Luckey DW, Knudtson MD, Henderson CR Jr, Bondy J, Stevenson AJ. Enduring effects of prenatal and infancy home visiting by nurses on maternal life course and government spending: follow-up of a randomized trial among children at age 12 years. *Archives of Pediatrics & Adolescent Medicine*. 2010;164(5):419-424.
49. Olds D, Henderson CR Jr, Cole R, Eckenrode J, Kitzman H, Luckey D, Pettitt L, Sidora K, Morris P, Powers J. Long-term effects of nurse home visitation on children's criminal and antisocial behavior: 15-year follow-up of a randomized controlled trial. *JAMA*. 1998;280(14):1238-1244.
50. Eckenrode J, Campa M, Luckey DW, Henderson CR Jr, Cole R, Kitzman H, Anson E, Sidora-Arcoleo K, Powers J, Olds D. Long-term effects of prenatal and infancy nurse home visitation on the life course of youths: 19-year follow-up of a randomized trial. *Archives of Pediatrics & Adolescent Medicine*. 2010;164(1):9-15.
51. Kitzman HJ, Olds DL, Cole RE, Hanks CA, Anson EA, Arcoleo KJ, Luckey DW, Knudtson MD, Henderson CR Jr, Holmberg JR. Enduring effects of prenatal and infancy home visiting by nurses on children: follow-up of a randomized trial among children at age 12 years. *Archives of Pediatrics & Adolescent Medicine*. 2010;164(5):412-418.

52. Olds DL, Kitzman H, Anson E, Smith JA, Knudtson MD, Miller T, Cole R, Hopfer C, Conti G. Prenatal and infancy nurse home visiting effects on mothers: 18-year follow-up of a randomized trial. *Pediatrics*. 2019;144(6).
53. Olds DL, Robinson J, O'Brien R, Luckey DW, Pettitt LM, Henderson CR Jr, Ng RK, Sheff KL, Korfmacher J, Hiatt S, Talmi A. Home visiting by paraprofessionals and by nurses: a randomized, controlled trial. *Pediatrics*. 2002;110(3):486-496.
54. Olds DL, Holmberg JR, Donelan-McCall N, Luckey DW, Knudtson MD, Robinson J. Effects of home visits by paraprofessionals and by nurses on children: follow-up of a randomized trial at ages 6 and 9 years. *JAMA Pediatrics*. 2014;168(2):114-121.
55. Lunkenheimer ES, Dishion TJ, Shaw DS, Connell AM, Gardner F, Wilson MN, Skuban EM. Collateral benefits of the family check-up on early childhood school readiness: Indirect effects of parents' positive behavior support. *Developmental Psychology*. 2008;44(6):1737-1752.
56. Connell A, Bullock BM, Dishion TJ, Shaw D, Wilson M, Gardner F. Family intervention effects on co-occurring early childhood behavioral and emotional problems: a latent transition analysis approach. *Journal of Abnormal Child Psychology*. 2008;36(8):1211-1225.
57. Shaw DS, Dishion TJ, Supplee L, Gardner F, Arnds K. Randomized trial of a family-centered approach to the prevention of early conduct problems: 2-year effects of the family check-up in early childhood. *Journal of Consulting and Clinical Psychology*. 2006;74(1):1-9.
58. Lowell DI, Carter AS, Godoy L, Paulicin B, Briggs-Gowan MJ. A randomized controlled trial of Child FIRST: A comprehensive home-based intervention translating research into early childhood practice. *Child Development*. 2011;82(1):193-208.
59. Olds D, Donelan-McCall N, O'Brien R, MacMillan H, Jack S, Jenkins T, Dunlap WP 3rd, O'Fallon M, Yost E, Thorland B, Pinto F, Gasbarro M, Baca P, Melnick A, Beeber L. Improving the nurse-family partnership in community practice. *Pediatrics*. 2013;132 Suppl 2:S110-117.