

MALTREATMENT (CHILD)

Emotional Maltreatment: An Overview

Christine Wekerle, PhD, Savannah Smith, BA

McMaster University, Canada

August 2019, Éd. rév.

Introduction

Emotional or psychological maltreatment is a highly prevalent and damaging form of child abuse. It reflects a caregiver's failure to provide a developmentally-appropriate and supportive environment, including persistent, pervasive or patterned dehumanizing acts such as frequent name-calling (emotional abuse; acts of commission) and failures in providing nurturance, affection, and approval (i.e., emotional neglect; acts of omission). Six types are recognized: (1) rejecting (e.g., constant criticism, belittling); (2) isolating (e.g., keeping family and friends from child); (3) ignoring (e.g., non-responding to child attentional bids, achievements etc.); (4) terrorizing (e.g., threatening abandonment or harm); (5) corrupting (e.g., child involvement in or exposure to criminal activities); and (6) exploiting (e.g., assigning caregiver role to child for parental care or childcare).¹ Some jurisdictions also categorize exposure to adult intimate partner violence (IPV) as a form of child emotional abuse. In this series, children's exposure to IPV is considered as a separate category of child maltreatment. Experiencing emotional maltreatment is strongly associated with the experience of other forms of childhood maltreatment and household dysfunction.² Unlike other forms of maltreatment, which may have physical indicators, emotional maltreatment has none. In sum, emotional maltreatment may be a stand-alone form of abuse or

neglect, as well as a frequently co-occurring form.¹

Prevalence and Under-Reporting

Different estimates of emotional maltreatment prevalence arise from research with different populations. A review of meta-analyses estimates the global prevalence of emotional abuse as 36.3% of people affected, and emotional neglect as 18.4% of people affected.³ Studies of youth involved with Child Protective Services (CPS) have found that emotional maltreatment tends to occur much more frequently than what is recorded by CPS workers. In one study of CPS-involved cases that involved coding maltreatment experiences with a standard framework, over 50% of youth had experienced emotional abuse (chiefly terrorizing); the majority had also experienced physical abuse and neglect.⁴ The Ontario Incidence Study of Reported Child Abuse and Neglect placed the 2013 CPS substantiation rate for emotional maltreatment rate at 13%, and the exposure to IPV at 48%.⁵ Researchers found that 30% of cases where emotional maltreatment was the primary form had more than three prior case openings for some form of maltreatment.⁶ The U.S. CPS-involved youth longitudinal study (LONGSCAN) found that 98% of youth who reported emotional maltreatment, reported re-experiencing it.⁷ Exposure to early emotional maltreatment, number of CPS reports, and having a caregiver with depression were factors shown to predict entry into the foster care system.⁸

Subject

Recent longitudinal research found that maternal negative expressiveness mediated the relationship between mother's own emotional maltreatment experiences and their infant's emotional dysregulation and behavioral problems, in children as young as 14 months.⁹ Parents who direct intense negative emotions towards the child (disgust, anger) or create highly negatively charged environments (yelling, being over-controlling) risk overwhelming their child's cognitive capacities and creating disorganized behavioural responses. This dynamic of parental ignore/attack and child destabilization creates a trajectory of impairment in managing emotions related to self and others. Research has shown that parents who perceive themselves as powerless, have both higher emotional reactivity and hostility towards their child's behaviour. In response to perceived child personal attack or personalization of disobedience, the parent responds with power assertive actions (rejection, attack).¹⁰ Not surprisingly then, emotional maltreatment has been linked to significant impairment in emotion regulation, including difficulties with both emotional clarity (i.e., being able to identify one's emotions) and emotional

expressiveness.¹¹⁻¹⁴ Emotional maltreatment-related impairment spans a wide range of mental health areas, including personality problems, mood disorders, substance abuse problems, and relationship violence.^{2,15,16} A systematic review showed increased risks impacting school achievement (impulsivity, inability to pay attention, reduced literacy, and numerical skills difficulties).¹⁶ Emotional maltreatment is associated with social anxiety and anxiety disorders¹⁷⁻²⁰ and depression.²¹⁻²⁴ Emotional neglect has been associated with drug-use and smoking,²³ as well as binge drinking, alcohol abuse, and other alcohol-related problems.²⁵ There is some evidence of greater mental health impact of emotional maltreatment in adolescence on male victims.²⁶ Experiencing emotional abuse is predictive of aggression symptoms, however, there may be gender differences in the pathway from maltreatment to aggression. For example, one study found that this relationship was mediated by psychoticism in males, and neuroticism in females.²⁷ In a study of male youth offenders, maternal warmth mediated the relationship between emotional neglect and youth presenting with callous unemotional traits.²⁸

Longitudinal research has identified the experience of emotional maltreatment over the course of a three-year period as a significant predictor of youth suicide ideation.²⁹ A nationally representative U.S. study found that adolescents who reported child emotional abuse were 2.6 times more likely to report suicidal ideation, and 2.4 times more likely to report a suicide attempt in the past year than those who had not experienced emotional abuse.³⁰ A core insult may be to the victim's sense of mattering (i.e., to one's self, to others, and to the environment), with emotional maltreatment linked with low levels of mattering.³¹

Another potential area of impairment for victims of emotional maltreatment is in building and maintaining positive relationships. A systematic review of the literature on adolescent victims of emotional maltreatment identified associations to both perpetration and victimization of IPV in males.³² For CPS-involved youth, emotional maltreatment predicted dating violence perpetration in adolescent males and victimization in females, both of which were explained in part by the level of trauma symptomatology.¹⁵ Similarly, emotional maltreatment predicted risky sexual behaviour at age 18, mediated in part by trauma symptoms.³³ The link between childhood emotional maltreatment and later decreased life satisfaction was mediated by rejection sensitivity in romantic partnerships in males.³⁴ For females, emotional maltreatment has been shown to significantly predict low relationship satisfaction.³⁵ Similarly, results from the U.S. Longitudinal Study of Adolescent to Adult Health found that experiencing emotional abuse was significantly related to adult perpetration and victimization of IPV in males, and perpetration and mutually-

perpetrated violence in females.³⁶ Emotional maltreatment in childhood appears to be a robust disruptor of functioning in close relationships.

Finally, there is some evidence that children who have been victims of emotional maltreatment may be at risk of disordered eating behaviour and relationships in adolescence and adulthood. Kimber and colleagues conducted a systematic review finding the prevalence of emotional maltreatment, including IPV exposure, as it relates to eating disorders ranging from 21% to 66%.³⁷ A study of obese adults found that those with binge eating disorder reported significantly higher levels of emotional abuse and neglect.³⁸ In a large non-clinical study, emotional abuse was a significant positive predictor for hoarding of material possessions.³⁹

Problems

1. Prevalence of emotional maltreatment is high.
2. While there is emerging consensus on (a) patterned caregiver behaviour defining emotional maltreatment, and (b) parental risk factors (depression, substance abuse, psychiatric illness in general, and a history of maltreatment), there is no agreement as to how to operationalize emotional maltreatment for practical use in terms of community standards for reasonable parenting.^{40,41}
3. Existing parenting programs have some content relevant to emotionally maltreating caregiving (e.g., planned attention, positive time or time-in); prevention of emotional maltreatment has not yet been a focus in child welfare or public health, although IPV has in both systems.^{42,43}
4. Sex may be a factor in understanding the emotional maltreatment-impairment link. Impact across the gender spectrum remains to be considered further.
5. A 2011 review determined further research was needed to develop a reliable and valid instrument to measure childhood emotional maltreatment.⁴⁴ Clinicians are encouraged to ask children about their family relationships, feelings of self-worth, being loved and safety.

Research Context

Most information on emotional maltreatment, as it relates to youths receiving CPS services comes from countries with formal child protection systems. When a case of emotional maltreatment is substantiated, it means the child welfare authorities investigated the allegation and deemed it to

be of sufficient seriousness. The services provided could range from investigation only to child counseling to out-of-home placement for alternate caregiving.

Key Research Questions

1. How does emotional maltreatment reflect a cycle of violence?
2. Are there emotional maltreatment indicators that signal greater risk for impairment or factors promoting resilience?
3. How does emotional maltreatment relate to gender diverse youth experiences?

Recent Research Results

A recent meta-analysis of studies involving parents committing emotional abuse found that emotionally abusive parents typically reported negative affect, depression, verbal aggression, emotion dysregulation and anger, as well as low levels of emotional control and positive coping strategies.⁴⁵ These results draw attention to the issue of intergenerational transmission of risk, as well as the need to emphasize intervention to bolster positive coping or parenting resilience.

A recent focus of attention has been the cognitive functioning and development of maltreated children.⁴⁶ For example, among foster children (in out-of-home care), a history of emotional abuse was negatively correlated with height-for-age, visual-spatial processing, memory, language and executive function.⁴⁷ Early intervention that targets environmental enrichment shows promise in yielding better child cognitive outcomes (e.g., memory) that seem to be mediated by the child's stress response hormones.⁴⁸ The ultimate goal is to consider the contexts for resilient functioning, integrating streams of biological, clinical and epidemiological research, with prevention.⁴⁹

To date, it appears that there have been no studies looking at how concepts of heteronormative discrimination and social stigma may relate to emotional maltreatment among LGBTQ2SI+ youth. One recent study found that gay, lesbian, and bi-sexual adults who had experienced childhood emotional maltreatment had significantly higher levels of depression and anxiety symptoms as compared to those not experiencing familial emotional maltreatment.⁵⁰

Research Gaps

Legal and medical definitions to guide CPS thresholds for intervention vary across regions, despite the clear need for CPS to accord more attention to emotional maltreatment impacts.⁴⁹ Presently,

there is no “gold standard” approach to determine exposure to emotional maltreatment. In 2012, the American Academy of Pediatrics published a clinical report emphasizing the need for clinicians to be alert for this form of maltreatment, and consider interventions that promote positive parenting and child development, emphasizing the priority of child safety includes both physical and psychological safety.⁵¹ A gap area relates to the rise of e-communications and the issue that emotional maltreatment may be perpetrated over the internet or via social media by family and others.

It is also important to examine how the effects of emotional maltreatment occur beyond caregiver/family dynamics. Recent research has examined the effects of emotional maltreatment on students by their teachers.⁵² One study of Korean youth reporting that 18.2% had experienced emotional maltreatment committed by their teacher,⁵³ and another study from the Republic of Cyprus reporting that 33.1% of students surveyed had been emotionally abused by a teacher in primary school.⁵⁴ As complex as it may be to define and identify familial emotional maltreatment, it becomes increasingly complicated to detect emotional maltreatment occurring outside of the home.

Conclusions and Implications for Parents, Practice and Policy

Emotional maltreatment is a prevalent, but less visible form of childhood maltreatment. The implications for parents, practice and policy is: (1) a consideration of the home emotional climate, emotional literacy and the provision of experiences where there is a dominance of positive over negative emotions; (2) to prevent the occurrence of child maltreatment including exposure to adult IPV; (3) to adequately promote the safety, well-being and rights of children and youth to live free of all forms of violence; and (4) to prevent or dampen maltreatment-related impairment via an increased focus on resilience. Evidence-based parenting programs exist and, given the broad range of impairment, it is severely costly to not implement these from a public health perspective.

55-58

A chaotic, violent, antagonistic home life is maltreating in a persistent way for children and represents a toxicity to child and adolescent development. Transition from the home, such as quality preschool experiences, formal school entry, and increasing autonomy in adolescence provide opportunities to realign emotion-focused learning and orient towards positivity and healthy coping. Resilience-oriented programming may be an innovation approach to dampening the impact of emotional maltreatment. Emotional maltreatment has been linked to lower

optimism; however, the experience of positive life events may buffer this effect and increase dispositional optimism.⁵⁹ Research has demonstrated the effectiveness of positive schemas (i.e., the ability to focus on positive stimuli and ignore negative, or emotionally taxing stimuli) in promoting resilience and interrupting the trajectory from childhood emotional maltreatment to poor mental health (e.g., depression).^{60,61} These findings underscore an opportunity to emphasize safe, social relationship-building and to embrace service systems as partners in promoting wellbeing and resilience. Better life outcomes occur when violence in the personal and home environment ceases and positive experiences and opportunities increase. Emotional maltreatment is a preventable form of child maltreatment, and may yield sizeable dividends, given its prevalence.

References

1. Hart SN, Brassard M, Davidson HA, Rivelis E, Diaz V, Binggeli NJ. Psychological maltreatment. In: Myers JEB, ed. *American Professional Society on the Abuse of Children (APSAC) Handbook on Child Maltreatment, Third Edition*. Thousand Oaks, CA: Sage; 2011: 125-144.
2. Taillieu TL, Brownridge DA, Sareen J, Afifi TO. Childhood emotional maltreatment and mental disorders: Results from a nationally representative adult sample from the United States. *Child Abuse & Neglect* 2016;59:1-12. doi:10.1016/j.chiabu.2016.07.005
3. Stoltenborgh M, Bakermans-Kranenburg MJ, Alink LRA, van Ijzendoorn MH. The prevalence of child maltreatment across the globe: Review of a series of meta-analyses. *Child Abuse Review* 2015;24:37-50. doi:10.1002/car.2353
4. Trickett P, Kim K, Prindle J. Variations in emotional abuse experiences among multiply maltreated young adolescents and relations with developmental outcomes. *Child Abuse & Neglect* 2011;35(10):876-886. doi:10.1016/j.chiabu.2011.08.001
5. Fallon B, Van Wert M, Trocmé N, MacLaurin B, Sinha V, Lefebvre R, Allan K, Black T, Lee B, Rha W, Smith C, Goel S. Ontario Incidence Study of Reported Child Abuse and Neglect-2013 (OIS-2013). Toronto, ON: Child Welfare Research Portal; 2015.
6. Goel S, Allan K, Lefebvre R, Fallon B. Previous Case Openings by Primary Form of Substantiated Maltreatment in Ontario in 2013. CWRP Information Sheet #156E. Toronto, ON: Faculty of Social Work, University of Toronto; 2015.
7. English D, Thompson R, White CR, Wilson D. Why should child welfare pay more attention to emotional maltreatment? *Child and Youth Services Review* 2015;50:53-63. doi:10.1016/j.chilyouth.2015.01.010
8. English D, Thompson R, White CR. Predicting risk of entry into foster care from early childhood experiences: A survival analysis using LONGSCAN data. *Child Abuse & Neglect* 2015;45:57-67. doi:10.1016/j.chiabu.2015.04.017
9. Liu S, Zhou N, Dong S, Wang Z, Hao Y. Maternal childhood emotional abuse predicts Chinese infant behavior problems: Examining mediating and moderating processes. *Child Abuse & Neglect* 2019;88:307-316. doi:10.1016/j.chiabu.2018.12.006
10. Bugental DB, Blue J, Cruzcosa M. Perceived control over caregiving outcomes: Implications for child abuse. *Developmental Psychology* 1989;25: 532-539. doi:10.1037/0012-1649.25.4.532
11. Mills P, Newman EF, Cossar J, Murray G. Emotional maltreatment and disordered eating in adolescents: Testing the mediating role of emotion regulation. *Child Abuse & Neglect* 2015;39:156-166. doi:10.1016/j.chiabu.2014.05.011
12. Titelius EN, Cook E, Spas J, Orchowski L, Kivisto K, O'Brien KHM, Frazier E, Wolff JC, Dickstein DP, Kim KL, Seymour K. Emotion dysregulation mediates the relationship between child maltreatment and non-suicidal self-injury. *Journal of*

Aggression, Maltreatment & Trauma 2018;27(3):323-331. doi:10.1080/10926771.2017.1338814

13. Jessar AJ, Hamilton JL, Flynn M, Abramson LY, Alloy LB. Emotional clarity as a mechanism linking emotional neglect and depressive symptoms during early adolescence. *Journal of Early Adolescence* 2015;37(3): 414-432. doi:10.1177/0272431615609157
14. Thomassin K, Shaffer A, Madden A, Londino DL Specificity of childhood maltreatment and emotion deficit in nonsuicidal self-injury in an inpatient sample of youth. *Psychiatry Research* 2016;244:103-108. doi:10.1016/j.psychres.2016.07.050
15. Wekerle C, Leung E, MacMillan HL, Boyle M, Trocmé N, Waechter R. The contribution of childhood emotional abuse to teen dating violence among child protective services-involved youth. *Child Abuse & Neglect* 2009;33(1):45-58. doi:10.1016/j.chiabu.2008.12.006
16. Maguire SA, Williams B, Naughton AM, Cowley LE, Tempest V, Mann MK, Teague M, Kemp AM. A systematic review of the emotional, behavioural and cognitive features exhibited by school-aged children experiencing neglect or emotional abuse. *Child: Care, Health and Development* 2015;41(5):641-653. doi:10.1111/cch.12227
17. Gibb BE, Chelminski I, Zimmerman M. Childhood emotional, physical, and sexual abuse, and diagnoses of depressive and anxiety disorders in adult psychiatric outpatients. *Depression & Anxiety* 2007;24(4):256-263. doi:10.1002/da.20238
18. Lochner C, Seedat S, Allgulander C, Kidd M, Stein D, Gerdner A. Childhood trauma in adults with social anxiety disorder and panic disorder: A cross-national study. *African Journal of Psychiatry* 2010;13(5):376-381. doi:10.4314/ajpsy.v13i5.63103
19. Kuo JR, Goldin PR, Werner K, Heimberg RG, Gross JJ. Childhood trauma and current psychological functioning in adults with social anxiety disorder. *Journal of Anxiety Disorders* 2011;25(4):467-473. doi:10.1016/j.janxdis.2010.11.011
20. Nanda M, Reichert E, Jones U, Flannery-Schroeder E. Childhood maltreatment and symptoms of social anxiety: Exploring the role of emotional abuse, neglect, and cumulative trauma. *Journal of Child & Adolescent Trauma* 2015;9(3):201-207. doi:10.1007/s40653-015-0070-z
21. Cohen JR, McNeil SL, Shorey RC, Temple JR. Maltreatment subtypes, depressed mood, and anhedonia: A longitudinal study with adolescents. *Psychological Trauma* 2018. [Epub ahead of print]. doi:10.1037/tra0000418
22. Kisley S, Abajobir AA, Mills R, Strathearn L, Clavarino A, Najman JM. Child maltreatment and mental health problems in adulthood: Birth cohort study. *British Journal of Psychiatry* 2018;213(6):698-703. doi:10.1192/bjp.2018.207
23. Cohen JR, Menon SV, Shorey RC, Le VD, Temple JR. The distal consequences of physical and emotional neglect in emerging adults: A person-centered, multi-wave, longitudinal study. *Child Abuse & Neglect* 2017;63:151-161. doi:10.1016/j.chiabu.2016.11.030
24. Infurna MR, Reichl C, Parzer P, Schimmenti A, Bifulco A, Kaess M. Associations between depression and specific childhood experiences of abuse and neglect: A meta-analysis. *Journal of Affective Disorders* 2016;190:47-55. doi:10.1016/j.jad.2015.09.006
25. Shin SH, Lee S, Jeon SM, Wills TA. Childhood emotional abuse, negative emotion-driven impulsivity, and alcohol use in young adulthood. *Child Abuse & Neglect* 2015;50:94-103. doi:10.1016/j.chiabu.2015.02.010
26. Hagborg JM, Tidefors I, Fahlke C. Gender differences in the association between emotional maltreatment with mental, emotional, and behavioral problems in Swedish adolescents. *Child Abuse & Neglect* 2017;67:249-259. doi:10.1016/j.chiabu.2017.02.033
27. Wang Q, Shi W, Jin G. Effect of childhood emotional abuse on aggressive behavior: A moderated mediation model. *Journal of Aggression, Maltreatment & Trauma* 2018 [Epub ahead of print]. doi:10.1080/10926771.2018.1498962
28. Bisby MA, Kimonis ER, Goulter N. Low maternal warmth mediates the relationship between emotional neglect and callous-unemotional traits among male juvenile offenders. *Journal of Child and Family Studies* 2017;26(7):1790-1798. doi:10.1007/s10826-017-0719-3

29. Miller AB, Jenness JL, Oppenheimer CW, Gottlieb ALB, Young JF, Hankin BL. Childhood emotional maltreatment as a robust predictor of suicidal ideation: A 3-year multi-wave, prospective investigation. *Journal of Abnormal Child Psychology* 2017;45(1):105-166. doi:10.1007/s10802-016-0150-z
30. Thompson MP, Kingree JB, Lamis D. Associations of adverse childhood experiences and suicidal behaviors in adulthood in a U.S. nationally representative sample. *Child: Care, Health and Development* 2019;45(1):121-128. doi:10.1111/cch.12617
31. Flett GL, Goldstein AL, Pechenkov I, Nepon T, Wekerle C. Antecedents, correlates, and consequences of feeling like you don't matter: Associations with maltreatment, loneliness, social anxiety, and the five factor model. *Personality and Individual Differences* 2016;92: 52-56. doi:10.1016/j.paid.2015.12.014
32. Naughton AM, Cowley LE, Tempest V, Maguire SA, Mann MK, Kemp AM. Ask Me! Self-reported features of adolescents experiencing neglect or emotional maltreatment: A rapid systematic review. *Child: Care, Health and Development* 2017;43(3):348-360. doi:10.1111/cch.12440
33. Thompson R, Lewis T, Neilson EC, English DJ, Litrownik AJ, Margolis B, Proctor L, Dubowitz H. Child maltreatment and risky sexual behavior: Indirect effects through trauma symptoms and substance use. *Child Maltreatment* 2017;22(1):69-78. doi:10.1177/1077559516674595
34. Pierce J, Abbey A, Wegner R. Mediators of the association between childhood emotional maltreatment and young adult men's life satisfaction. *Journal of Interpersonal Violence* 2018;33(4):595-616. doi:10.1177/0886260515609584
35. Peterson CM, Peugh J, Loucks L, Shaffer A. Emotional maltreatment in family of origin and young adult romantic relationship satisfaction: A dyadic data analysis. *Journal of Social and Personal Relationships* 2018;35(6):872-888. doi:10.1177/0265407517700300
36. Richards TN, Tillyer MS, Wright EM. Intimate partner violence and the overlap of perpetration and victimization: Considering the influence of physical, sexual, and emotional abuse in childhood. *Child Abuse & Neglect* 2017;67:240-248. doi:10.1016/j.chiabu.2017.02.037
37. Kimber M, McTavish JR, Couturier J, Boven A, Gill S, Dimitropoulos G, MacMillan HL. Consequences of child emotional abuse, emotional neglect and exposure to intimate partner violence for eating disorders: A systematic critical review. *BMC Psychology* 2017;5(33):1-18. doi:10.1186/s40359-017-0202-3
38. Amianto F, Spalatro AV, Rainis M, Andriulli C, Lavagino L, Abbate-Daga G, Fassino S. Childhood emotional abuse and neglect in obese patients with and without binge eating disorder: Personality and psychopathology correlates in adulthood. *Psychiatry Research* 2018;269:692-699. doi:10.1016/j.psychres.2018.08.089
39. Kehoe E, Egan J. Interpersonal attachment insecurity and emotional attachment to possessions partly mediate the relationship between childhood trauma and hoarding symptoms in a non-clinical sample. *Journal of Obsessive-Compulsive and Related Disorders* 2019;21:37-45. doi:10.1016/j.jocrd.2018.12.001
40. Trickett PK, Mennen FE, Kim K, Sang J. Emotional abuse in a sample of multiply maltreated, urban young adolescents: Issues of definition and identification. *Child Abuse & Neglect* 2009;33:27-35. doi:10.1016/j.chiabu.2008.12.003
41. Tonmyr L, Draca J, Crain J, MacMillan HL. Measurement of emotional/psychological child maltreatment: A review. *Child Abuse & Neglect* 2011;35(10):767-782. doi:10.1016/j.chiabu.2011.04.011
42. Altafim ERP, Linhares MBM. Universal violence and child maltreatment prevention programs for parents: A systematic review. *Psychosocial Intervention* 2016;25(1):27-38. doi:10.1016/j.psi.2015.10.003
43. Desai CC, Reece J-A, Shakespeare-Pellington S. The prevention of violence in childhood through parenting programmes: A global review. *Psychology, Health & Medicine* 2017;22(1):166-186. doi:10.1080/13548506.2016.1271952
44. Wekerle C. The dollars and senselessness in failing to prioritize child maltreatment prevention. *Child Abuse & Neglect* 2011;35:159-161. doi:10.1016/j.chiabu.2011.02.001
45. Lavi I, Maynor-Binyamini I, Seibert E, Katz LF, Ozer EJ, Gross JJ. Broken bonds: A meta-analysis of emotion reactivity and regulation in emotionally maltreating parents. *Child Abuse & Neglect* 2019;88:376-388. doi:10.1016/j.chiabu.2018.11.016

46. Curtis WJ, Cicchetti D. Emotion and resilience: A multilevel investigation of hemispheric electroencephalogram asymmetry and emotion regulation in maltreated and nonmaltreated children. *Development & Psychopathology* 2007;19:811-840. doi:10.1017/S0954579407000405
47. Oswald SH, Heil K, Goldbeck L. History of maltreatment and mental health problems in foster children: A review of the literature. *Journal of Pediatric Psychology* 2010;35(5):462-472. doi:10.1093/jpepsy/jsp114
48. Bugental DB, Schwartz A, Lynch C. Effects of early family intervention on children's memory: The mediating effects of cortisol levels. *Mind, Brain, & Education* 2010;4(4):156-218. doi:10.1111/j.1751-228X.2010.01095.x
49. MacMillan HL, Wathen CN, Barlow J, Fergusson DM, Leventhal JM, Taussig HN. Interventions to prevent child maltreatment and associated impairment. *Lancet* 2008;373(9659):250-266. doi:10.1016/S0140-6736(08)61708-0
50. Charak R, Villarreal L, Schmitz RM, Harai M, Ford JD. Patterns of childhood maltreatment and intimate partner violence, emotion dysregulation, and mental health symptoms among lesbian, gay, and bisexual emerging adults: A three-step latent class approach. *Child Abuse & Neglect* 2019;89:99-110. doi:10.1016/j.chiabu.2019.01.007
51. Hibbard R, Barlow J, MacMillan H, Committee on Child Abuse and Neglect, & American Academy of Child and Adolescent Psychiatry Child Maltreatment and Violence Committee. Psychological maltreatment. *Pediatrics* 2012;130(2):372-378. doi:10.1542/peds.2012-1552
52. Nearchou F. Resilience following emotional abuse by teachers: Insights from a cross-sectional study with Greek students. *Child Abuse & Neglect* 2018;78:96-106. doi:10.1016/j.chiabu.2017.10.012
53. Lee JH. Prevalence and predictors of self-reported student maltreatment by teachers in South Korea. *Child Abuse & Neglect* 2015;46:113-120. doi:10.1016/j.chiabu.2015.03.009
54. Theoklitou D, Kabitsis N, Kabitsi A. Physical and emotional abuse of primary school children by teachers. *Child Abuse & Neglect* 2012;36(1):64-70. doi:10.1016/j.chiabu.2011.05.007
55. World Health Organization & London School of Hygiene and Tropical Medicine. Preventing intimate partner and sexual violence against women: Taking action and generating evidence. Geneva, Switzerland: World Health Organization. 2010. Retrieved from: http://www.who.int/violence_injury_prevention/violence/activities/intimate/en/index.html.
56. Gilbert R, Kemp A, Thoburn J, Sidebotham P, Radford L, Glaser D, MacMillan HL. Recognising and responding to child maltreatment. *Lancet* 2009;373(9658):167-180. doi:10.1016/S0140-6736(08)61707-9
57. MacMillan HL. Commentary: Child maltreatment and physical health: A call to action. *Journal of Pediatric Psychology* 2010 35(5), 533-535. doi:10.1093/jpepsy/jsq017
58. Wekerle C. Commentary: Emotionally maltreated: The under-current of impairment? *Child Abuse & Neglect* 2011;35(10):899-903. doi:10.1016/j.chiabu.2011.09.002
59. Broekhof R, Ruis-Ottenheim N, Spinhoven P, van der Mast RC, Penninx BW, Zitman FG, Gitlay EJ. Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. *Journal of Affective Disorders* 2015;175:351-358. doi:10.1016/j.jad.2015.01.022
60. Arslan G. Psychological maltreatment, emotional and behavioral problems in adolescents: The mediating role of resilience and self-esteem. *Child Abuse & Neglect* 2016;52:200-209. doi:10.1016/j.chiabu.2015.09.010
61. Lumley MN, McArthur BA. Protection from depression following emotional maltreatment: The unique role of positive schemas. *International Journal of Cognitive Therapy* 2016;9(4):327-343. doi:10.1521/ijct_2016_09_14