

MATERNAL DEPRESSION

Maternal Depression

Sheree L. Toth, PhD, Jack Peltz, MA

Mt. Hope Family Center, University of Rochester, USA

November 2009

Introduction

Maternal depression poses a significant burden, both to the individual and to the broader relational context.^{1,2,3,4} When a mother is struggling with depression, important relationships are likely to suffer as well. Research has documented the pernicious effects of maternal depression on the marital relationship,⁵ parenting,^{6,7,8,9,10,11,12} and the mother-child relationship.^{1,13,14,15,16} Furthermore, these effects are not simply limited to the period during which the mother is depressed. The long-term effects of maternal depression extend to poor child outcomes,¹⁷ divorce,¹⁸ and even the perpetuation of this cycle with future generations.¹⁹ Because depression is particularly prevalent during women's childbearing years, and because it is a highly recurrent disorder, the public health significance of understanding and adequately treating maternal depression is high.

Subject

Throughout their lifetime, approximately 10-25% of women will suffer from depression.²⁰ Mothers who suffer from depression are subsequently more at risk for developing an insecure attachment with their children,^{21,22,23} often engage in dysfunctional parenting,^{14,24} and their children are at heightened risk for developing both internalizing and externalizing behaviour problems.^{25,26,27,28} Despite these risks, it is important to note that maternal depression does not deterministically

culminate in adverse outcomes for offspring and children have been shown to evidence positive development, including secure attachments to their depressed mothers.^{29,30}

Problems

Research on maternal depression and its effects on the family continues to face numerous challenges.

- Issues related to maternal depression and to the adaptation of offspring have not been consistently examined across investigations. Factors such as the severity, duration, and recurrence of depression, as well as when in the child's developmental period exposure to maternal depression occurs, can eventuate in very different child outcomes.
- Historically, investigations focused on main effects models that sought simply to determine whether offspring were adversely affected and in what developmental domains. Examinations of processes and mechanisms contributing to outcome are less prevalent.
- The adverse outcomes associated with maternal depression are not unique to depression, raising questions as to whether it is depression per se, or rather specific aspects of parenting that contribute to negative child development.
- Far less attention has been directed to the bi-directional influences that may maintain or exacerbate maternal depression. For example, if a child has an emotional disorder or illness, then the mother's depression may be more difficult to treat.³¹
- With respect to intervention, treatment typically focuses on the depressive illness without considering the importance of addressing the needs of children and the broader family context.
- While there are exceptions,^{32,33} far too little effort has been directed to preventing the adverse effects of maternal depression on children.

Research Context

Due to the wide-ranging effects of maternal depression, research on the phenomenon must address many domains. Beyond studies of the direct effects of maternal depression on parenting, the marital relationship, and child outcomes, there have been many process-oriented studies to examine, for example, how maternal depression might affect mother-child interactions or the development of mother-infant attachment security.^{34,35} Recent studies of maternal depression also

have addressed the interaction of children's genotypes and environmental influences to determine potential mechanisms through which families in which the mother is suffering from depression are affected.³⁶ In addition, intervention studies have been used to identify both effective treatments for maternal depression and its sequelae.³⁷ Such studies have been integral to understanding the mechanisms through which maternal depression affects other members of the family. It is important to note that studies of maternal depression have begun to incorporate fathers in order to capture more fully the dynamic processes that co-occur with a mother's depression.³⁸

Key Research Questions

Given the diversity of mechanisms and moderators that contribute to varied outcomes in children who have been exposed to maternal depression, it is increasingly important that investigations incorporate a multiple-levels-of-analysis perspective into understanding the effects of maternal depression on children.³⁹ Such an approach requires attention to psychological, neurobiological, genetic and contextual factors. Given the high degree of co-morbidity between depression and other mental disorders, increased effort needs to be directed toward understanding how co-morbidity affects children of depressed mothers. Additionally, models of intervention and assessments of their efficacy need to be developed with economically, racially, and ethnically diverse populations. Investigations that examine the complex transactions that occur across ecological systems (individual, family, school, neighbourhood) and that contribute to adaptive versus maladaptive outcomes in offspring of depressed mothers also are needed.

Recent Research Results

Increasingly, research on maternal depression has incorporated paternal influences on the effects of the disorder. Given the relative paucity of fathers in clinical research,⁴⁰ the inclusion of fathers provides a fuller depiction of how maternal depression can affect the family system. Meta-analytic research on psychopathology in mothers versus fathers suggests that maternal depression is more closely related to children's internalizing, but not externalizing problems than when fathers are suffering from depression.⁴¹ Furthermore, when paternal psychopathology is present, maternal depression is significantly associated with toddlers' externalizing and internalizing behaviour problems.⁴² In contrast, paternal involvement in infancy has been shown to moderate the relation of maternal depression and child internalizing behaviour.³⁸

Recent research has examined the mechanisms through which maternal depression affects the family. With regard to the fundamental infant-caregiver attachment relationship, data suggest that attachment security mediates the relation between depressive symptoms and negative parental representations.³⁵ In addition, maternal depression has been found to moderate the relation between attachment insecurity and the impact of home-visiting programs for at-risk mothers and infants.³⁴

Recent studies also have demonstrated the effects maternal depression can have on child behaviour outcomes. Reductions in maternal depression resulting from intervention have led to improvements in both child externalizing and internalizing problem behaviour after accounting for the potential mediating effects of positive parenting.⁴³ More recent research also has demonstrated the transactional effects of maternal depression, such that early child noncompliance emerged as a robust predictor of maternal depression, which was associated with adolescent antisocial behaviour.⁴⁴ In addition, maternal depression has been shown to affect children's physiology.⁴⁵

Research Gaps

Despite progress in recent years with respect to understanding the mechanisms and processes through which maternal depression affects children, gaps in the literature remain. In particular, theoretically guided and developmentally informed investigations that consider the complexity associated with understanding the processes through which maternal depression influences children are needed. Specifically, multiple-levels-of-analysis approaches will lead to a more complete depiction of child development in the context of maternal depression.³⁹ Utilization of molecular genetic methods, *neuroimaging* techniques and stress reactivity paradigms, in conjunction with psychological variables, will enhance the understanding of both heightened risk and resilience in offspring of depressed mothers. The incorporation of such an approach into the design and evaluation of preventive interventions is particularly important, as these methods will not only increase our understanding of the mechanisms through which interventions operate effectively, but also will shed light on the theory-driven models that are associated with healthy and pathological outcomes.^{46,47}

Conclusions

In summary, maternal depression poses a significant burden, not only to the individual affected,

but also to the family system and to society more generally. Current research on maternal depression has broadened its scope from the main effects of the disorder to how it interacts and affects the larger family system. Intervention studies demonstrate that depression in mothers can be effectively treated and that its deleterious effects on significant relationships in the family and child outcomes can be mitigated and reversed. Currently, more sophisticated research methods are being used to examine how mothers' vulnerability to depression interacts with the broader environment, how the disorder might impact both the mothers' and the child's neurophysiology, and how families, and in particular children, can demonstrate resilience in the face of maternal depression. Given the stigma mothers may experience as a result of their depression and the increased likelihood of mothers being affected by the disorder, future work that addresses a mother's sense of such stigma and her access to treatment is critical.

Implications for Parents, Services, and Policy

Research coalesces to highlight the potentially pernicious effects that maternal depression may exert not only on the individual, but also on the child, family and broader social ecology. Therefore, it is critical that the stigmatization that prevents women from being screened for and receiving mental health services when a depressive disorder is present be addressed.⁴⁸ Often depression is detected in primary care settings and, as such, it is critical that practitioners recognize and address the magnitude of the problem. When treatment is provided, all too often the broader context within which a woman resides is not considered and it is rare that outreach to other family members is provided. Investigations have shown that treating maternal depression is not sufficient for addressing adverse effects on children.⁴⁹ This is particularly troublesome because we know that effective prevention strategies are available.^{25,33} Given the extensive research that has highlighted the role that parenting plays with respect to child outcome, assessments of parenting skills and the provision of interventions targeted to the child's developmental level might be particularly effective in ameliorating the negative effects associated with maternal depression. Finally, policy advocates and insurance companies need to recognize the benefit of providing prevention to children with depressed mothers rather than waiting until a child exhibits a diagnosable mental disorder.

References

1. Goodman SH, Gotlib IH, eds. *Children of depressed parents: Mechanisms of risk and implications for treatment*. Washington, DC: American Psychological Association; 2002.
2. Downey G, Coyne JC. Children of depressed parents: An integrative review. *Psychological Bulletin* 1990;108(1):50-76.

3. Cicchetti D, Rogosch FA, Toth SL. Maternal depressive disorder and contextual risk: Contributions to the development of attachment insecurity and behavior problems in toddlerhood. *Development and Psychopathology* 1998;10(2):283-300.
4. Cummings ME, Davies PT. Maternal depression and child development. *Journal of Child Psychology and Psychiatry* 1994;35(1):71-112.
5. Whisman MA. [The association between depression and marital dissatisfaction](#). In: Beach SRH, ed. *Marital and family processes in depression: A scientific foundation for clinical practice*. Washington, DC: American Psychological Association; 2001:3-24.
6. Burbach DJ, Borduin CM. Parent-child relations and the etiology of depression: A review of methods and findings. *Clinical Psychology Review* 1986;6(2):133-153.
7. Davenport Y, Zahn-Waxler C, Adland ML, Mayfield A. [Early child-rearing practices in families with a manic-depressive parent](#). *American Journal of Psychiatry* 1984;141(2):230-235.
8. Gotlib IH, Gilboa E, Sommerfeld BK. Cognitive functioning in depression: Nature and origins. In: Davidson RJ, ed. *Anxiety, depression, and emotion*. New York, NY: Oxford University Press; 2000:133-163.
9. Gotlib IH., Neubauer DL. Information processing approaches to the study of cognitive biases in depression. In: Johnson SL, Hayes AM, Field TM, Schneiderman N, McCabe PM, eds. *Stress, coping, & depression*. Mahwah, NJ: Lawrence Erlbaum Associates Publishers; 2000:117-143.
10. Webster-Stratton C, Hammond M. Maternal depression and its relationship to life stress, perceptions of child behavior problems, parenting behaviors, and child conduct problems. *Journal of Abnormal Child Psychology* 1988;16(3):299-315.
11. Coleman PK, Karraker KH. Parenting self-efficacy among mothers of school-age children: Conceptualization, measurement, and correlates. *Family Relations* 2000;49(1):13-24.
12. Fleming A, Ruble D, Flett G, Schaul D. Postpartum adjustment in first-time mothers: Relations between mood, maternal attitudes, and mother-infant interactions. *Developmental Psychology* 1988;24(1):71-81.
13. Cicchetti D, Toth, SL. A developmental psychopathology perspective on child abuse and neglect. *Journal of the American Academy of Child & Adolescent Psychiatry*. 1995;35(5):541-565.
14. Cicchetti D, Toth SL. Developmental psychopathology and disorders of affect. In: Cicchetti D, Cohen DJ, eds. *Developmental psychopathology*. New York, NY: Wiley;1995;2:369-420. *Risk, disorder, and adaptation. vol 2*.
15. Cicchetti D, Toth, SL. Perspectives on research and practice in developmental psychopathology. In: Damon W, ed. *Handbook of child psychology*. 5th ed. New York, NY: J. Wiley; 1998: 479-583. Siegel IE, Renninger AK, eds. *Child psychology in practice*. Vol 4.
16. Field TM. Infants of depressed mothers. *Development and psychopathology* 1992;4:49-66.
17. Goodman SH, Gotlib IH. Risk for psychopathology in the children of depressed mothers: A developmental model for understanding mechanisms of transmission. *Psychological Review* 1999;106(3):458-490.
18. Kessler RC, Walters EE, Forthofer MS. The social consequences of psychiatric disorders, III: Probability of marital stability. *American Journal of Psychiatry* 1998;155(8):1092-1096.
19. Fraiberg S, Adelson E, Shapiro V. Ghosts in the nursery: A psychoanalytic approach to the problem of impaired mother-child relationships. *Journal of the American Academy of Child Psychiatry*. 1975;14(3):387-421.
20. American Psychiatric Association. [Diagnostic and statistical manual of mental disorders: DSM-IV-TR](#). 4th ed, Text Revision. Washington, DC: American Psychiatric Association; 2000.
21. Cicchetti D, Toth SL, Lynch M. Bowlby's dream comes full circle: The application of attachment theory to risk and psychopathology. *Advances in clinical child psychology* 1995;17:1-75.
22. Lyons-Ruth K, Zoll D, Connell D, Grunebaum HU. The depressed mother and her one-year-old infant: Environmental

context, mother–infant interaction and attachment, and infant development. *New Directions for Child and Adolescent Development* 1986(34):61-82.

23. Radke-Yarrow M, Cummings EM, Kuczynski L, Chapman M. Patterns of attachment in two- and three-year-olds in normal families and families with parental depression. *Child Development* 1985;56(4):884–893.
24. Field TM. Psychologically depressed parents. In: Bornstein M, ed. *Handbook of parenting. Mahwah, NJ: Erlbaum; 1995:85-99. Social conditions and applied parenting. vol. 4.*
25. Beardslee WR, Bemporad J, Keller MD, Klerman GL. Children of parents with major affective disorder: A review. *American Journal of Psychiatry* 1983;140(7):825-832.
26. Rogosch FA, Cicchetti D, Toth SL. Expressed emotion in multiple subsystems of the families of toddlers with depressed mothers. *Development and Psychopathology* 2004;16(3):689-709.
27. Weissman M, Warner V, Wickramaratne P, Moreau D, Olfson M. Offspring of depressed parents 10 years later. *Archives of General Psychiatry* 1997;54(10):932-940.
28. Zahn-Waxler C, Iannotti RJ, Cummings EM, Denham S. Antecedents of problem behaviors in children of depressed mothers. *Development and Psychopathology*. 1990;2:271–291.
29. Cohn JF, Campbell S. Influence of maternal depression on infant affect regulation. In: Cicchetti D, Toth SL, eds. *Developmental perspectives on depression*. Rochester, NY: University of Rochester Press; 1992:103-130. *Rochester symposium on developmental psychopathology*; 1056-6511; v 4.
30. DeMulder E, Radke-Yarrow M. Attachment with affectively ill and well mothers: Concurrent behavioral correlates. *Development and Psychopathology* 1991;3(3):227-242.
31. Swartz HA, Frank E, Zuckoff A, Cyranowski JL, Houck PR, Cheng Y, Fleming D, Grote NK, Brent DA, Shear MK. Brief interpersonal psychotherapy for depressed mothers who children are receiving psychiatric treatment. *American Journal of Psychiatry*. 2008;165(9):1155-1162.
32. Beardslee WR, Wright EJ, Gladstone TR, Forbes P. Long-term effects from a randomized trial of two public health preventive interventions for parental depression. *Journal of Family Psychology* 2007;21(4):703-713.
33. Cicchetti D, Toth SL, Rogosch FA. Toddler–parent psychotherapy for depressed mothers and their offspring: Implications for attachment theory. In: Atkinson L, Goldberg S, eds. *Attachment issues in psychopathology and intervention*. Mahwah, NJ: Erlbaum; 2004: 229-275.
34. Duggan, AK, Berlin, LJ, Cassidy, J, Burrell, L, Tandon, SD. Examining maternal depression and attachment insecurity as moderators of the impacts of home visiting for at-risk mothers and infants. *Journal of Consulting and Clinical Psychology* 2009;77(4):788-799.
35. Toth SL, Rogosch FA, Sturge-Apple M, Cicchetti D. Maternal depression, children’s attachment security, and representational development: An organizational perspective. *Child Development*. 2009;80(1):192-208.
36. Araya R, Hu XZ, Heron J, Lewis G, Nutt D, Goldman D. Effects of stressful life events, maternal depression and 5-HTTLPR genotype on emotional symptoms in pre-adolescent children. *American Journal of Medical Genetics Part B-Neuropsychiatric Genetics*. 2009;150B(5):670-682.
37. Cicchetti D, Toth SL, Rogosch FA. The efficacy of toddler-parent psychotherapy to increase attachment security in offspring of depressed mothers. *Attachment and Human Development* 1999;1(1):34-66.
38. Mezulis AH, Hyde JS, Clark R. Father involvement moderates the effect of maternal depression during a child’s infancy on child behavior problems in kindergarten. *Journal of Family Psychology* 2004;18(4):575-588.
39. Cicchetti D, Dawson G. Editorial: Multiple levels of analysis. *Development and Psychopathology* 2002;14(3):417-420.
40. Phares V, Fields S, Kamboukos D, Lopez E. Still looking for poppa. *American Psychologist* 2005;60(7):735-736.

41. Connell A, Goodman S. The association between child internalizing and externalizing behavior problems and psychopathology in mothers versus fathers: A meta-analysis. *Psychological Bulletin* 2002;128(5):746-773.
42. Dietz PM, Williams SB, Callaghan WM, Bachman DJ, Whitlock EP, Hornbrook MC. Clinically identified maternal depression before, during, and after pregnancies ending in live births. *American Journal of Psychiatry* 2007;164(10):1515-1520.
43. Shaw DS, Connell A, Dishion TJ, Wilson MN, Gardner F. Improvements in maternal depression as a mediator of intervention effects on early childhood problem behavior. *Development and Psychopathology* 2009;21(2):417-439.
44. Gross HE, Shaw DS, Burwell RA, Nagin DS. Transactional processes in child disruptive behavior and maternal depression: A longitudinal study from early childhood to adolescence. *Development and Psychopathology*. 2009;21(1):139-156.
45. Gump BB, Reihman J, Stewart P, Lonky E, Darvill T, Granger DA, Matthews KA. Trajectories of maternal depressive symptoms over her child's life span: Relation to adrenocortical, cardiovascular, and emotional functioning in children. *Development and Psychopathology* 2009;21(1):207-225.
46. Cicchetti D, Toth SL. Developmental psychopathology and preventive intervention. In: Damon W, Lerner RM, eds. *Handbook of child psychology*. 6th ed. New York, NY: J. Wiley; 2006: 497-547. Siegel IE, Renninger AK, eds. *Child psychology in practice*. vol 4.
47. Cicchetti D, Hinshaw SP. Editorial: Prevention and intervention science: Contributions for developmental theory . *Development and Psychopathology* 2002;14(4):667-671.
48. Hinshaw SP. *The Mark of shame: Stigma of mental illness and an agenda for change*. New York, NY: Oxford University Press; 2007.
49. O'Hara M, Gorman LL. Can postpartum depression be predicted? *Primary Psychiatry* 2004;11(3):42-47.