

## MATERNAL DEPRESSION

---

# Maternal Depression and its Relation to Children's Development and Adjustment

<sup>1</sup>E. Mark Cummings, PhD, <sup>2</sup>Chrystyna D. Kouros, PhD, <sup>2</sup>Jacqueline Fidellow, B.A.

<sup>1</sup>University of Notre Dame, USA, <sup>2</sup>Southern Methodist University, USA

December 2023, Éd. rév.

### Introduction

Depression is one of the most prevalent mental health disorders, especially common during women's childbearing years.<sup>1-4</sup> For example, one in ten women in the US report experiencing depression symptoms in the past 12 months.<sup>5</sup> Globally, the prevalence of depression after the birth of a child was estimated to be 17.7%.<sup>6</sup> Maternal depression is related to child outcomes as early as birth and can continue across later developmental periods. Thus, maternal depression is a significant and relatively common risk factor during early childhood. Children who are exposed to maternal depression, especially prior to the age of five, are more likely to have at least one developmental vulnerability than their non-exposed peers.<sup>7</sup> Some researchers have argued that the prevalence rate of maternal depression and its resulting effects on child development have reached the level of a public health crisis.<sup>8</sup> Thus, a pressing goal for research is to understand developmental trajectories and processes underlying relations between maternal depression and children's development.

### Subject

Maternal depression is demonstrated to contribute to multiple early child developmental problems, including impaired cognitive, social and academic functioning.<sup>3,7,9-13</sup> For example, children of depressed mothers are at least two to three times more likely to develop adjustment problems, including mood disorders.<sup>9,13</sup> Even in infancy, children of depressed mothers are more fussy, less responsive to facial and vocal expressions, more inactive and have elevated stress hormones compared to infants of non-depressed mothers.<sup>14-16</sup> Accordingly, the study of child development in the context of maternal depression is a great societal concern and has been a major research direction for early childhood developmental researchers for the past several decades.

## **Problems**

Whereas relations between maternal depression and children's adjustment problems are well-documented, many questions remain about the mechanisms underlying these associations. These questions are at the heart of any possible clinical implications of research in this area, including prevention and treatment. For example, how and why is maternal depression related to children's development and adjustment? Why do some children of depressed mothers develop symptoms of psychopathology or impaired functioning, whereas others do not? Which processes should interventions target to most effectively reduce maternal depression and its potential negative consequences for children's development?

There are many challenges for identifying and testing causal processes, such as ensuring sufficiently sophisticated models and research designs to guide study of multiple, and often interrelated, processes. The challenge of ensuring adequate conceptualization, measurement and assessment also pose potential pitfalls and limitations, including the requirements for longitudinal research to optimally test causal hypotheses, and randomized clinical trial (RCT) designs to test efficacy of interventions. Acknowledging the limitations of research designs is also important when evaluating the results of research studies, including that causal hypotheses about mechanisms are not adequately supported by correlational data.

Investigators have met these challenges by advancing multivariate risk models. For example, Goodman and Gotlib posited several, inter-related, classes of mechanisms, including (a) heritability, (b) exposure to environmental stressors, including increased family dysfunction, (c) exposure to their mothers' negative cognitions, behaviours, or affect, and (d) dysfunction of neuroregulatory mechanisms.<sup>17</sup> Illustrating one of these pathways, depressed pregnant women

may experience neuroendocrine abnormalities (e.g., increased stress hormones, reduced blood flow to the fetus) which may lead to dysfunction of neuroregulatory mechanisms among infants, increasing their vulnerability for depression or other disorders. A goal for researchers investigating maternal depression over the past several decades has been to provide empirical evidence to support the pathways proposed in theoretical models. Another challenge is translating research findings into prevention and intervention programs that are both effective in reducing maternal depression and/or its negative consequences for children's development and pose low or minimal burdens for participation, so that mothers can optimally engage with programs.

## **Research context**

In the context of studies of early child development, the study of disruption in parenting and family functioning as contributors to early child development outcomes has emerged as a focal area of investigation. Even when studies are limited to family processes as influences, multivariate risk models find support.<sup>17-20</sup> For example, Cummings and Davies<sup>21</sup> presented a framework for how multiple disruptions in child and family functioning and related contexts are supported as pertinent to associations between maternal depression and early child adjustment, including problematic parenting, marital conflict, children's exposure to parental depression, and related difficulties in family processes.<sup>4,18,19</sup> A particular focus of this family process model is identifying and distinguishing specific response processes in the child (e.g., emotional insecurity; specific emotional, cognitive, behavioral or physiological responses) that, over time, account for normal development or the development of psychopathology.<sup>4,18,22</sup> Given increased prevalence of mental health challenges as a result of the recent COVID-19 pandemic, research must also take into account how the global pandemic has impacted rates of maternal depression and its associations with their children's mental health.<sup>3</sup>

## **Key Research Questions**

At this point, many key research questions need to be addressed by the study of longitudinal relations between maternal depression, hypothesized family and child response processes, and multiple child outcomes.<sup>23-24</sup> Tests may include investigations of explanatory process models or studies of trajectories or pathways of development. Goals include identifying underlying family and child processes linking maternal depression and child development, how do these processes work together and change over time, child gender differences in effects, and the role of child characteristics.<sup>27,28,39</sup>

## Recent Research Results

Parenting has long been the focus of research of family processes that may contribute to child outcomes. Studies have shown repeatedly that maternal depression is linked with less optimal parenting and less secure mother-child attachment.<sup>4,11,22,25,26</sup> Depressed mothers are more likely to be inconsistent, lax, withdrawn or intrusive, and ineffective in their parenting and child discipline behaviour. Inadequate parenting and lower quality parent-child relationships, in turn, are related to increased risk for maladjustment among children.

Although marital conflict has long been linked with the effects of maternal depression, the study of this topic continues to be relatively neglected. At the same time, recent evidence continues to support that interparental conflict is a robust influence on child outcomes, even when compared to parenting in community samples.<sup>27</sup> Extensive research documents links between marital conflict and child maladjustment in families with maternal depression. In contexts of maternal depression, marital conflicts are characterized by lower positive verbal behaviour, sad affect, increased use of destructive conflict tactics, and lower likelihood of conflict resolution.<sup>28,29</sup> Interparental conflict is a robust predictor of children's functioning across multiple domains, including socio-emotional outcomes, cognitive functioning and academic success.<sup>4,30,31</sup>

Studies are explicitly testing family processes, including interparental conflict, as mediators or moderators between maternal depression and children's outcomes. The findings show that maternal depression is related to increased interparental conflict and relationship insecurity, more family-level conflict and overall family functioning. Disruptions in these family processes, in turn, are related to higher levels of children's psychological distress and adjustment problems.<sup>32-38</sup> The role of child characteristics in the association between maternal depression and children's development is also under investigation, including children's temperament and physiological responses to stress.<sup>3,11,31,39</sup> Children's cognitive appraisals about their mothers' depression has also become a focus of research.<sup>22</sup> For example, mothers' depressive symptoms were more strongly linked to their child's internalizing symptoms when their child blamed themselves for their mothers' depressed mood.<sup>40</sup> The focus on child characteristics that increase vulnerability to maternal depression provide additional avenues for preventive interventions.

## Research Gaps

There are still many gaps that need to be addressed. First, further study of the role of interparental conflict in the effects associated with maternal depression is needed, especially distinguishing between forms of conflict. For example, quite different effects on children have been linked to constructive, destructive and depressive interparental conflicts.<sup>41</sup> Second, longitudinal research across different developmental periods is needed to understand the short-term and long-term consequences of maternal depression for family functioning and children's development. Third, it is important for studies to distinguish between clinical and subclinical levels of maternal depression.<sup>18</sup> Similarly, the impact of the characteristics of maternal depression requires further investigation; depression is a heterogeneous disorder, and the timing, chronicity and number of episodes of maternal depression may influence relations between maternal depression and child adjustment. Fourth, although research has focused on maternal depression, the effect of paternal depression deserves further consideration, including examining relations when both parents are depressed.<sup>11</sup> Recent research suggests that paternal depression has unique predictive effects on their offspring's adjustment, even when controlling for maternal depression.<sup>31</sup> Fifth, further study of child characteristics, such as temperament, sex, genetics, physiological regulation, and cognitive appraisals of maternal depression warrant consideration. Sixth, research should aim for more specificity with regard to child outcomes. For example, why do some children develop impaired social competence in the context of maternal depression, whereas other children develop symptoms of depression? Seventh, more RCT studies of parental depression and intervention program efficacy for children and families are needed.<sup>42</sup> Finally, research with more ethnically, racially, and economically diverse samples is also needed.

## **Conclusions**

Maternal depression is related to a wide range of child outcomes, and the effects continue from birth into adulthood. Children of depressed mothers are two to three times more likely to develop a mood disorder, and are at increased risk for impaired functioning across multiple domains, including cognitive, social and academic functioning, and poor physical health. At the same time, many children of depressed mothers develop normally. Therefore, the key research goal is to understand the pathways and processes through which maternal depression affects children. Disruptions to family processes, including parenting problems and interparental conflict, are documented as pathways through which maternal depression affects children. Evidence that family processes may account for links between maternal depression and child development is promising from a treatment and intervention standpoint, in that family processes can be more

easily targeted and altered than other mediating processes (e.g., heritability). Emerging evidence from recent intervention studies shows promise for successfully translating research findings into evidence-based interventions that target not only maternal depression but also underlying family processes to ameliorate the potential negative consequences for children's development.<sup>43</sup>

## **Implications for parents, services and policy**

Policy-makers and clinicians should work together to make services, such as screenings for pregnant women and mothers, readily available.<sup>12,13</sup> Programs aimed at reducing disruptions to family functioning are one avenue for decreasing children's risk for psychopathology. Parents, clinicians and policymakers should be sensitive to the fact that comprehensive programs are needed that not only treat mothers' depression but also offer family-level services. For example, depressed mothers could be provided with parent education classes to teach them effective skills and best practices for child rearing and discipline. Families with a depressed parent can partake in educational classes that teach constructive ways to handle conflict; that is, how to handle conflict in ways that promote problem-solving and conflict resolution. As more research on moderating factors is conducted, prevention and treatment efforts can be better targeted to those most at risk. Such comprehensive efforts that work together with mothers, children, and families will certainly have a long-lasting and important impact on children's development.

## **References**

1. Kessler RC. Epidemiology of women and depression. *Journal of Affective Disorders* 2003;74(1):5-13.
2. Brown GW, Harris T. *Social origins of depression: A study of psychiatric disorder in women*. New York, NY: Free Press; 1978.
3. Dagher RK, Bruckheim HE, Colpe LJ, Edwards E, White DB. Perinatal depression: Challenges and opportunities. *Journal of Women's Health* 2021;30(2):154-159.
4. Beardslee WR, Gladstone TRG, O'Connor EE. Transmission and prevention of mood disorders among children of affectively ill parents: A review. *Journal of the American Academy of Child & Adolescent Psychiatry* 2011;50(11):1098-1109.

5. Ertel KA, Rich-Edwards JW, Koenen KC. Maternal depression in the United States: Nationally representative rates and risks. *Journal of Women's Health* 2011;20(11):1609-1617.
6. Hahn-Holbrook J, Cornwell-Hinrichs T, Anaya I. Economic and health predictors of national postpartum depression prevalence: a systematic review, meta-analysis, and meta-regression of 291 studies from 56 countries. *Frontiers in Psychology* 2018;8:248.
7. Wall-Wieler E, Roos LL, Gotlib IH. Maternal depression in early childhood and developmental vulnerability at school entry. *Pediatrics* 2020;146(3):e20200794.
8. Goeglein SK, Yatchmink YE. Maternal depression is a public health crisis: The time to act is now. *Pediatrics* 2020;146(3):e2020010413.
9. Beardslee WR, Versage EM, Gladstone TRG. Children of affectively ill parents: A review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry* 1998;37(11):1134-1141.
10. Downey G., Coyne JC. Children of depressed parents: An integrative review. *Psychological Bulletin* 1990;108(1):50-76.
11. Goodman SH. Depression in mothers. *Annual Review of Clinical Psychology* 2007;3:107-135.
12. Goodman SH, Tully EC. Depression in women who are mothers: An integrative model of risk for the development of psychopathology in their sons and daughters. In: Keyes CLM, Goodman SH, eds. *Women and depression: A handbook for the social, behavioral, and biomedical sciences*. New York, NY: Cambridge University Press; 2006:241-282.
13. Weiss SJ, Leung C. Maternal depressive symptoms, poverty, and young motherhood increase the odds of early depressive and anxiety disorders for children born prematurely. *Infant Mental Health Journal* 2021;42(4):586-602.
14. Cohn JF, Tronick EZ. Three-month-old infants' reaction to simulated maternal depression. *Child Development* 1983;54(1):185-193.

15. Field TM. Prenatal effects of maternal depression. In: Goodman SH, Gotlib IH, eds. *Children of depressed parents: Mechanisms of risk and implications for treatment*. Washington, DC: American Psychological Association; 2002:59-88.
16. Lefkovich E, Baji I, Rigó J. Impact of maternal depression on pregnancies and on early attachment. *Infant Mental Health Journal* 2014;35(4):354-365.
17. Goodman SH, Gotlib IH. Risk for psychopathology in the children of depressed mothers: A developmental model for understanding mechanisms of transmission. *Psychological Review* 1999;106(3):458-490.
18. Cummings EM, DeArth-Pendley G, Du Rocher Schudlich TD, Smith DA. Parental depression and family functioning: Toward a process-oriented model of children's adjustment. In: Beach SR, ed. *Marital and family processes in depression: A scientific foundation for clinical practice*. Washington, DC: American Psychological Association; 2001:89-110.
19. Emery RE. Interparental conflict and the children of discord and divorce. *Psychological Bulletin* 1982;92(2):310-330.
20. Hops H, Sherman L, Biglan A. Maternal depression, marital discord, and children's behavior: A developmental perspective. In: Patterson GR, ed. *Depression and aggression in family interaction*. Hillsdale, NJ: Erlbaum;1990:185-208.
21. Cummings EM, Davies PT. Maternal depression and child development. *Journal of Child Psychology and Psychiatry* 1994;35(1):73-112.
22. Goodman SH, Tully E, Connell AM, Hartman CL, Huh M. Measuring children's perceptions of their mother's depression: The children's perceptions of others' depression scale-mother version. *Journal of Family Psychology* 2011;25(2):163-173.
23. Cummings EM, Cheung RYM, Koss KJ, Davies P. Parental depressive symptoms and adolescent adjustment: A prospective test of an explanatory model for the role of marital conflict. *Journal of Abnormal Child Psychology* 2014;42:1153-1166.



24. Kouros CD, Papp LM, Goeke-Morey MC, Cummings, EM. Spillover between marital quality and parent-child relationship quality: Parental depressive symptoms as moderators. *Journal of Family Psychology* 2014;28(3):315-325.
25. Lovejoy MC, Graczyk PA, O'Hare E, Neuman G. Maternal depression and parenting behavior: A meta-analytic review. *Clinical Psychology Review* 2000;20(5):561-592.
26. McCary CA, McMahon RJ, Conduct Problems Prevention Research Group. Mediators of the relation between maternal depressive symptoms and child internalizing and disruptive behavior disorders. *Journal of Family Psychology* 2003;17(4):545-556.
27. Cummings EM, Keller PS, Davies PT. Towards a family process model of maternal and paternal depressive symptoms: Exploring multiple relations with child and family functioning. *Journal of Child Psychology and Psychiatry* 2005;46(5):479-489.
28. Du Rocher Schudlich TD, Papp LM, Cummings EM. Relations of husbands' and wives' dysphoria to marital conflict resolution strategies. *Journal of Family Psychology* 2004;18(1):171-183.
29. Gotlib IH, Whiffen VE. Depression and marital functioning: An examination of specificity and gender differences. *Journal of Abnormal Psychology* 1989;98(1):23-30.
30. Cummings EM, Davies PT. Effects of marital conflict on children: Recent advances and emerging themes in process-oriented research. *Journal of Child Psychology and Psychiatry* 2002;43(1):31-63.
31. Sweeney S, MacBeth A. The effects of paternal depression on child and adolescent outcomes: A systematic review. *Journal of Affective Disorders* 2016;205:44-59.
32. Cummings EM, Schermerhorn AC, Keller PS, Davies PT. Parental depressive symptoms, children's representations of family relationships, and child adjustment. *Social Development* 2008;17(2):278-305.

33. Davies PT, Windle M. Gender-specific pathways between maternal depressive symptoms, family discord, and adolescent adjustment. *Developmental Psychology* 1997;33(4):657-668.
34. Du Rocher Schudlich TD, Cummings EM. Parental dysphoria and children's internalizing symptoms: Marital conflict styles as mediators of risk. *Child Development* 2003;74(6):1663-1681.
35. Du Rocher Schudlich TD, Youngstrom EA, Calabrese JR, Findling RL. The role of family functioning in bipolar disorder in families. *Journal of Abnormal Child Psychology* 2008;36(6):849-863.
36. Luningham JM, Wentz B, Merrilees CE, Taylor LK, Goeke-Morey M, Shirlow STP, Cummings EM. Bidirectional effects between maternal mental health and adolescent internalizing problems across six years in Northern Ireland. *Journal of Child Psychology and Psychiatry Advances* 2022;2(2):e12078.
37. Murray S, Wang L, Cummings EM, Braungart-Rieker J. Infant externalizing behavior and parent depressive symptoms: Prospective predictors of parental pandemic related distress. *Infancy*. In press.
38. Shelton KH, Harold GT. Interparental conflict, negative parenting, and children's adjustment: Bridging links between parents' depression and children's psychological distress. *Journal of Family Psychology* 2008;22(5):712-724.
39. Cummings EM, El-Sheikh M, Kouros CD, Keller PS. Children's skin conductance reactivity as a mechanism of risk in the context of parental depressive symptoms. *Journal of Child Psychology and Psychiatry* 2007;48(5):436-445.
40. Kouros CD, Wee SE, Carson CN, Ekas NV. Children's self-blame appraisals about their mothers' depressive symptoms and risk for internalizing symptoms. *Journal of Family Psychology* 2020; 34(5):534-543.
41. Cummings EM, Davies, PT. *Marital conflict and children: An emotional security perspective*. New York, NY: Guilford Press; 2010.

42. Bergman KN, Downey AL, Cummings JS, Gedek HM, Cummings EM. Examining the role of depression in program efficacy: A program to improve communication in community families. *Family Court Review* 2018;56(2):269-280.
43. Goodman SH, Garber J. Evidence-based interventions for depressed mothers and their young children. *Child Development* 2017;88(2):368-377.